

## DENTAL COUNCIL OF INDIA

Meeting of the Executive Committee of the Dental Council of India held on 13<sup>th</sup> December, 2018 (Thursday) in the Committee Room, Dental Council of India, Aiwan-E-Galib Marg, Kotla Road New Delhi at 11.00 a.m. in respect of compliance cases.

### 6. MDS SECTION MATTERS

#### 6(1). Hazaribag College of Dental Sciences & Hospital, Hazaribag (Renewal)

To consider the Verification Report of the Council's Inspectors Dr. Abi M. Thomas, Ludhiana & Dr. Anshula Deshpande, Vadodara (on 9.10.2018) to verify the Compliance on the Joint Inspection Report of the Council's Inspectors Dr. Gyanendra Kumar, New Delhi & Dr. Neerja Singh, Lucknow for renewal of Central Government permission for admitting 4<sup>th</sup> batch of students in MDS Course in the speciality of Paedodontics and Preventive Dentistry with 2 seats at Hazaribag College of Dental Sciences & Hospital, Hazaribag for the academic year 2019-20 on 6<sup>th</sup> & 7<sup>th</sup> August, 2018

AND

Letter No. V.12017/13/2018-DE dated 14.11.2018 received from the Under Secretary to the Government of India, Ministry of Health & Family Welfare, New Delhi thereby stated that as per proviso under section IOA(4) & I IA of the Dentists Act, personal hearings were afforded to dental colleges on 05.11.2018 & 06.11.2018 before the Hearing Committee in the Ministry & based on the compliance submitted by the colleges concerned in support of their claims, is being forwarded to this Council with a request to review/ verify/physically verify/inspect the schemes of 17 dental colleges in the light of the compliance alongwith supporting documents submitted by the colleges / applicants & the recommendations of the Committee. The Government of India has requested this Council to furnish the revised recommendations to the Ministry at the earliest as per the time schedule in DCI Regulations.

Compliance

#### Paedodontics and Preventive Dentistry with 2 seats

1. Dr. Bimal Chandra Kirtaniya shown as Professor & HOD has no TDS certificate for the year 2015-16.
2. There is no documents of two newly appointments in the departments (i) Dr. Rashmi Jayanna, Professor & HOD with effect from 25.9.2018 & (ii) Dr. Vipin Ahuja, Reader with effect from 9.3.2018 as under:-
  - There is no certified copy of Bank Statement/Passbook by the Bank for the last six month.
  - There no TDS certificate Form 16A for the last three financial year i.e. 2015-16, 2016-17 and 2017-18.
  - There is no relieving and appointment letter from the previous institution i.e. Dental College, Azamgarh and appointment and Joining letter of Hazaribag Dental College, Hazaribag.
  - There is no proof of PAN Card, Aadhar Card, Residence, Present and Permanent Address.
  - There is no declaration by the deponent regarding private practice on the Affidavit.
3. **Clinical Material:** - On Verification of dept. register and OPD cards for different days there were no payment mentioned in few OPD cards.
4. **Post Graduate Academic details:-** 2017-18 batch, both PG's were absent.
  - **2016-17** batch, academic requirements were satisfactory except for the follow up clinical case records.

6(2). **Hazaribag College of Dental Sciences & Hospital, Hazaribag** (Renewal)

To consider the Verification Report of the Council's Inspectors Dr. Balaji Manohar, Udaipur & Dr. Arvind Shetty, Navi Mumbai (on 8<sup>th</sup> & 9<sup>th</sup> October, 2018) to verify the Compliance on the Joint Inspection Report of the Council's Inspectors Dr. Prasanta Banerjee, Kolkata & Dr. D. Gopala Krishnan, Pune for renewal of Central Government permission for admitting 4<sup>th</sup> batch of students in MDS Course in the speciality of Periodontology with 3 seats at Hazaribag College of Dental Sciences & Hospital, Hazaribag for the academic year 2019-20 on 6<sup>th</sup> & 7<sup>th</sup> August, 2018.

AND

Letter No. V.12017/13/2018-DE dated 14.11.2018 received from the Under Secretary to the Government of India, Ministry of Health & Family Welfare, New Delhi thereby stated that as per proviso under section IOA(4) & IA of the Dentists Act, personal hearings were afforded to dental colleges on 05.11.2018 & 06.11.2018 before the Hearing Committee in the Ministry & based on the compliance submitted by the colleges concerned in support of their claims, is being forwarded to this Council with a request to review/ verify/physically verify/inspect the schemes of 17 dental colleges in the light of the compliance alongwith supporting documents submitted by the colleges / applicants & the recommendations of the Committee. The Government of India has requested this Council to furnish the revised recommendations to the Ministry at the earliest as per the time schedule in DCI Regulations.

Compliance

**Periodontology with 3 seats**

1. **Clinical Material**:- on 8.10.2018 – 66 patients were treated in the department. The PG work done in the register was not entered. However, on scrutinizing it was found that 15 patients were treated by PG students that were entered in the common register.  
  
On 9.10.2018 till 2:05pm 41 patients were treated in the department. 16 patients were treated by the PG students.
2. **Equipments**:- There is deficiency of equipments in the department i.e. Pressure Sensitive probe -1, Root Conditioning Agent -1, Implant Maintenance kit (Plastic Instruments)-1 set, Implant Guide -1, Implant removing kit -1.
3. **Students Assessment**:- Dr. Nitesh Kumar ( 2016-19) was absent during inspection.
  - Dr. Harneet Singh (2017-20) was absent during inspection.
  - On interaction, majority of the PG students could not produce the documentation for the clinical cases done (college case sheet records, study models, radiographs, photographs of procedure performed, post –operative follow –up). Dissertation work in not upto the mark. However publication by 5 PG students has been done.
4. **Overall Department Assessment**:- PG program has no set time table.
  - Record keeping by department and PG students has to be improved.

6(4). **Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry** (New)

To consider letter No. 355/MGPGI/ACA-1/2018-2019/2771 dated 5.12.2018 received from the Dean, Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry thereby submitted compliance report on the Joint Inspection Report of the Council's Inspectors Dr. Namita Kalra, Delhi & Dr. Radhika Muppa, Chinaoutpalli to inspect and ascertain the physical facilities such as building, space teaching staff their qualification and other infrastructural facilities available

as per the DCI Regulations, 2006 & 2017 for **starting** of MDS Course in the speciality of Paedodontics and Preventive Dentistry at Mahatma Gandhi Post Graduate Institute of Dental Sciences, Puducherry on 14<sup>th</sup> & 15<sup>th</sup> September, 2018.

AND

Letter No. V.12017/13/2018-DE dated 14.11.2018 received from the Under Secretary to the Government of India, Ministry of Health & Family Welfare, New Delhi thereby stated that as per proviso under section IOA(4) & IIA of the Dentists Act, personal hearings were afforded to dental colleges on 05.11.2018 & 06.11.2018 before the Hearing Committee in the Ministry & based on the compliance submitted by the colleges concerned in support of their claims, is being forwarded to this Council with a request to review/ verify/physically verify/inspect the schemes of 17 dental colleges in the light of the compliance alongwith supporting documents submitted by the colleges / applicants & the recommendations of the Committee. The Government of India has requested this Council to furnish the revised recommendations to the Ministry at the earliest as per the time schedule in DCI Regulations.

### Compliance

#### Paedodontics and Preventive Dentistry

Compliance is noted

1. **Staff:-** There is deficiency of 2 Readers and 2 Lecturers.
2. **Equipments:-** There is deficiency of equipments in the department i.e. Automatic developer -1, Injectable GP condenser -1, Endodontic pressure syringe -1, Formalin chamber -1, X-ray viewer-1, Plaster dispenser -2, Typodonts -1, Band pinching beak pliers -2, Crown crimping pliers-2, Double beak pliers anterior and posterior -2, Magnifying loupes -1, Pulse oxymeter -1, Phantom head table with attached Light, Airtor and micro motor (One set per P.G. Student for 1<sup>st</sup> year only) -1.

#### 6(7). Govt. Dental College & Hospital, Jamnagar

To consider the Joint Inspection Report of the Council's Inspectors Dr. Shishir Singh, Navi Mumbai & Dr. Adarsha M.S., Bangalore to inspect and ascertain the physical facilities such as building, space teaching staff their qualification and other infrastructural facilities available as per the DCI Regulations, 2006 & 2017 for **starting** of MDS Course in the speciality of Conservative Dentistry and Endodontics at Govt. Dental College & Hospital, Jamnagar on 6<sup>th</sup> & 7<sup>th</sup> December, 2018.

Compliance

#### Conservative Dentistry and Endodontics

(1+1+4)

1. **Staff:-** There is deficiency of 2 Readers in the department of Conservative Dentistry & Endodontics.
2. **Library Details:-** There is no year/month upto which latest Indian Journals available.
  - There is no year/month upto which latest Foreign Journals available.
3. **Equipments:-** There is deficiency of equipments in the department of Conservative Dentistry & Endodontics i.e. Operating Microscopes -3 steps or 5 steps magnification -1.

6(8). Govt. Dental College & Hospital, Jamnagar

To consider the Joint Inspection Report of the Council's Inspectors Dr. Jammula Surya Prasanna, Hyderabad & Dr. Jaiganesh, Chennai to inspect and ascertain the physical facilities such as building, space teaching staff their qualification and other infrastructural facilities available as per the DCI Regulations, 2006 & 2017 for **starting** of MDS Course in the speciality of Periodontology at Govt. Dental College & Hospital, Jamnagar on 6<sup>th</sup> & 7<sup>th</sup> December, 2018.

Compliance

Periodontology  
(3+1+3)

1. Library Details:- There is no number of titles & number of books are purchased in the last 5 years.

7. BDS SECTION MATTERS7(1) Govt. Dental College, Thrissur

To consider the Joint Inspection Report of the Council's Inspectors Dr. Thanvir Mohamed Niazi K, Madurai and Dr. Srikrishna Chalasani, Rajahmundry (carried out on 15<sup>th</sup> & 16<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5th batch of students in BDS Course with 50 seats at Govt. Dental College, Thrissur for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. **Central Library:**  
Total No. of Journals-26 required but 1 available – Quotation invited.  
(1 National Journal in each subject to the 9 Dental Specialities)- Only one available.  
1 International Journals for each 9 dental speciality: Not available.  
Back Volumes of all National Journal of 9 Dental Specialities for the last 10 years: Not available. (only 5 Journals has back volumes for 10 years- 9 required)  
Seating Capacity: Sq. Ft. not provided.
2. There are deficiencies of **Major Equipment** in the following departments:  
**Prosthodontics and Crown & Bridge:** Deflasking unit-1.  
**Conservative Dentistry and Endodontics:** Pre Clinical Laboratory: Gas Cylinder and Oxygen cylinder with bumer-1, **Clinical Laboratory:** Lab Micromotor-1, Ultrasonic cleaner-1.  
**Oral & Maxillofacial Surgery: Minor Surgery:** Not available in dental hospital only in attached medical college.  
**Periodontology:** Autoclave-1 not available required is 2, Ultrasonic cleaner-1, Soft tissue laser-1  
**Orthodontics:** Unit mount scaler-2, Autoclave-1, X-ray viewers-2, Micromotor-1, Welders-2, Typhodont articulator-3, Pressure moulding machine-1.  
**Paediatric and Preventive Dentistry:** Injectable gutta percha with condensation-1, Radiovisiography-1, Intra Oral Camera-1, Intra Oral X-ray-1, Model Trimmer with Carborandum disc-1, Lab micro motor-2, Steam cleaner-1.

**Oral Medicine and Radiology:** Pulp testers-2, X-ray viewer-1, Lead Aprons-1, Lead gloves-1, Sialography equipment & Kit-1

**Public Health Dentistry:** Autoclaves-1, MOBILE CLINIC: Glass bead sterilizers-1

**Dental Anatomy:** TV, Education Models not available

**Histopathology Room:** Distilled water plant-1, Microscope Trinocular-1, Toothed forceps-2

3. Examination Hall: Shared with Medical.
4. Auditorium: Shared with Medical College.
5. Orthodontia: Pre clinical lab not available.

7(2) **Al-Badar Rural Dental College & Hospital, Gulbarga**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Rajni Dable, Moradabad and Dr. Abhay Nilkanth Datarakar, Nagpur (carried out on 15<sup>th</sup> & 16<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with increased intake capacity from 40 to 100 seats at Al-Badar Rural Dental College & Hospital, Gulbarga for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. **Central Library:**  
Total Number of Journals No. 26- Not available  
1 National Journal in each subject of the 9 dental specialities: Not available  
1 National Journal in each subject of the 8 basic medical science: Not available  
1 International Journals for each 9 dental speciality: Not available
2. **Dental Chairs / Units:** 16 chairs are not fully functioning.
3. There are deficiencies of Major Equipments in the following departments:  
**Prosthodontics and Crown & Bridge:** Dental Chairs and Units-8 (not fully functioning), Semi adjustable articulator-1, Extra oral / intra oral tracer-2  
**Conservative Dentistry and Endodontics:** Dental Chairs and Units-1 (not fully functioning)  
**Oral & Maxillofacial Surgery:** Emergency drugs tray-2 available but Need upgradation  
**Periodontology:** Dental Chairs and Units-5 chairs not fully functioning  
**Paediatric and Preventive Dentistry:** Rubber dam kit for pedo-1  
**Oral Medicine and Radiology:** Pulp tester-3 available but 1 under repair
4. Laboratory for Orthodontics and Pedodontics: 1000 sq. ft. available against the requirement of 2500 sq. ft. is inadequate.
5. **Observations:-**
  - (i) **Infrastructure:**
    - Dark Room is not as per AERB norms.
    - Ortho Pedo technique room is insufficient.
  - (ii) **Staff:**
    - Dr. Huma Afroze, Tutor, Prosthodontics and Dr. Shireen Rana, Lecturer, Pharmacology were absent on the day of Inspection.
  - (iii) **Library:**
    - Printer is not in working condition in E- library.
    - 2018 Journal (International & National) of Basic & Dental speciality are not available. (Purchase order attached).

- (iv) **Equipments:**
  - Some equipments are available but not in use.
- (v) **Hostel:**
  - Hostel facility is available 1.5 km away from college.
- (vi) **Teaching:**
  - Teaching facilities in medical subjects needs augmentation.

7(4) **Lenora Institute of Dental Sciences, Rajahmundry**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Sreenath Thakur, Dharwad and Dr. Nikhil Marwah, Jaipur (carried out on 19<sup>th</sup> & 20<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 60 to 100 seats at Lenora Institute of Dental Sciences, Rajahmundry for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

Principal has not signed the attendance sheet.

Dr. Harsha M., Senior Lecturer, Oral Pathology was absent on both the days of inspection

7(5) **Government College of Dentistry, Indore**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Darshana Shah, Gandhinagar and Dr. Anjali Kapoor, Jaipur (carried out on 15<sup>th</sup> & 16<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with increased intake capacity from 40 to 50 seats at Government College of Dentistry, Indore for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. University Affiliation valid upto session 2017-18.
2. **Man Power Requirement:**  
**Health Staff:** Pharmacist-3, Medical Records-1.  
**Engineering Staff:** Civil-1, Mechanical-1, Electrical-1.  
**Other Staff:** Drivers-1
3. There are deficiencies of three lecturers in dental teaching staff.
4. **Non-Teaching Staff / Ministerial Staff:** Receptionist-Required 8, sanctioned 8 recruitment is under process, Dent. Tech. (Dental Mechanic)- required 6, sanctioned 6, Posted 3, Remaining 3 recruitment is under process, Dent. Hygst.-required 3 sanctioned 3, recruitment is under process, Radiographer-required 2, available 1, remaining 3 recruitment is under process, Mason- required 1 sanctioned 1, recruitment is under process, A.C. Tech.-required 1 sanctioned 1, recruitment is under process, Attenders / Peon / Orderly-2, Dept. Secretaries-required 4, sanctioned 4, available 2, Driver-Sanctioned 4, the driver is sanctioned but as per State Govt. Policy recruitment cannot be done on the post of driver but vehicle is hired as and when required as per rate contract.
5. There are deficiencies of **Major Equipments** in the following departments:  
**Oral Pathology and Oral Microbiology:** Microtome-1 available but non functional, Wax Bath-1 processed in BOD incubator.

**Paediatric and Preventive Dentistry:** Endo motor-1, Injectable gutta percha with condensation-1, Intra oral camera-1, PEDO LAB: Lab micro motor-1.

**Public Health Dentistry:** MOBILE CLINIC: Fully equipped mobile dental van with two dental chairs installed is out sourced as and when required for the department of public health dentistry.

6. Dr. Neelima Pagare, Tutor, Conservative Dentistry on study leave 16.11.2018 on the day of Inspection.
7. Dr. Jaya Joshi, Professor, Oral Pathology was on leave 16.11.2018 on the day of Inspection.

7(6) **Jawaharlal Nehru Institute of Dental Science, Imphal**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Girish Karandikar, Navi Mumbai and Dr. Saurabh Kumar Gupta, Yamuna Nagar (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with 50 seats at Jawaharlal Nehru Institute of Dental Science, Imphal for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of Five Professors in the departments of Oral Pathology and Oral Microbiology-1, Conservative Dentistry and Endodontics-1, Oral & Maxillofacial Surgery-1, Periodontology-1 and Orthodontics-1.
2. There are deficiencies of Eight Readers in the departments of Oral Pathology and Oral Microbiology-1, Conservative Dentistry and Endodontics-1, Oral & Maxillofacial Surgery-1, Periodontology-1, Orthodontics-1, Paediatric & Preventive Dentistry-1, Oral Medicine & Radiology-1 and Public Health Dentistry-1.
3. **Non-Teaching Staff / Ministerial Staff:** Managers / Office Suptd. / Section Officer / Head Clerk / Estate Officer-4, Assistant / Clerk-5, Receptionist-8, Librarian-1, C.S.A. (Chair side Attendant) / DORA / ANM / Para Medical staff with 6 months (minimum Class 10<sup>th</sup> Pass) experience in dental college / Clinic / Hospital-10, Dent. Tech. (Dental Mechanic)-5, Dent. Hygst.-2, Artist-1, Computer Programmer-1, Data Entry Operators-1, Physical Director-1, Engineer-1, Electricians-2, Plumber-1, Carpenter-1, Mason-1, A.C. Tech.-1, Helpers Electrical-1, Sweepers & Scavengers-9, Attenders / Peon / Orderly-8, Security Personal-5, Dept. Secretaries-4, Driver-3, Lab. Technicians-3.
4. **Central Library:** 16 (2018), Tender for National and International Journals is in process.
5. **Dental Chairs / Units:** Only 30 dental chairs are installed against the requirement of 100 dental chairs.
6. There are deficiencies of Major Equipments in the following departments:  
**Prosthodontics:** Dental Chairs and Units-11, **LAB:** Geyser-2, Phantom Heads-25, Pre-Clinical working tables-50.  
**Ceramic and Cast Partial Laboratory:** PRE-CLINICAL PROSTHETICS LABORATORY- Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-30, PLASTER ROOM FOR PRE-CLINICAL WORK: Vibrator-1, Lathe-1.

**Conservative Dentistry and Endodontics:** Dental Chairs and Units-11, Rubber dam kits-4, Autoclaves-1, Needle burner with syringe cutter-2, Amalgamator-1, Glass bead sterilizers-1, Automatic developer-1, Magnification loops-1, Injectable gutta percha-1, PRE CLINICAL LABORATORY: Phantom Lab Unit-30, Gas cylinder and Oxygen cylinder with burner-1, CLINICAL LABORATORY: Plaster dispenser-1, Lab micromotor-1, Spindle Grinder-1, Lab Airrotor-1, Pindex system-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1.

**Oral Pathology and Oral Microbiology:** Dental Chairs with Units-1, Wax bath-1, Water bath-1, Knife Sharpener-1, Hot plate-1, Spencer knife-1.

**Oral & Maxillofacial Surgery:** Dental Chairs and Units-8, Autoclaves-1, Needle burner with syringe cutter-2, Extraction forceps sets-5, Dental elevators-2, Minor Oral Surgery kits-2, X-ray viewers-1, Oxygen cylinder-1, Oxygen mask adult-1, Oxygen mask pedo-1, Trauma kit-1, Diagnostic kits-20, MINOR SURGERY: Dental Chairs and Units-2.

**Periodontology:** Dental Chairs and Units-14, Surgical instruments sets-3, Autoclave-1, Electro Surgical cautery-1, Needle burner with syringe cutter-3, Laser-1, Physio dispenser with implant kit-1, X-ray viewer (Extra Oral)-1, Hand scaler Sub gingival-5, Hand scaler Sub gingival-5, Set of curettes-1, Periodontal Surgical kit-2, Diagnostic kits-14.

**Orthodontics:** Dental Chairs and Units-8, Unit mount scaler-3, Autoclave-1 (sharing with Periodontology), X-ray viewers-2, Ultrasonic cleaner-1, Diagnostic kits-20, ORTHO LAB: Plaster dispenser-1, Vibrator-2, Micromotor-1, Welders-1, Blue torch-1, Base Formers-2, Typodont-2, Set of Pliers-4, Hydro solder-1, Typhodont articulator-3, Pressure moulding machine-1.

**Paediatric and Preventive Dentistry:** Dental Chairs and Units-6, Autoclaves-1 (sharing with Perio), Needle burner with syringe cutter-1, Amalgamator-1, Pulp Tester – Digital-1 (sharing with endo), Rubber dam kit for pedo-3, Apex locator-1 (sharing with endo), Endo motor-1 (sharing with endo), injectable gutta percha with condensation-1, Radiovisiography-1 (sharing with endo), Intra oral camera-1, Scaling instruments-5 (sharing with Perio), Extraction forceps-2, Intra – oral X-ray-1, Diagnostic kits-14, RCT Instruments kits-1, PEDO LAB: (Sharing with Prostho) Plaster dispenser-2, Model trimmer with diamond disc-1, Model trimmer with Carborandum disc-1, Welder with soldering attachments-1, Vibrator-2, Lab micro motor-2, Dental Lathe-1, Steam cleaner-1, Pressure moulding machine-1.

**Oral Medicine and Radiology:** Dental Chairs and Units-2, Intra Oral X-ray-1, Pulp testers-2 (sharing with Endodontics), automatic periapical X-ray, Developer-1, X-ray viewer-1, Radiovisiography with Intra Oral Camera-1, Lead aprons-1, Lead gloves-1, Lead collar-2, X-ray Hangers-6, Diagnostic Kits-13, Biopsy Kit-1, Autoclave-1 (sharing with Oral Surgery), Needle Burner with Syringe cutter-1, Sialography equipment & kit-1.

**Public Health Dentistry:** Dental Chairs and Units-6, Autoclaves-1, Ultrasonic cleaner-1, Diagnostic kits-15, **MOBILE CLINIC:** Mobile Dental Van with dental chairs & units-2, Autoclaves-1, Intraoral x-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable



dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-20.

7. There are following Dental Teaching Staff were absent on the day of Inspection:
  - (i) Dr. Ronnel L, Tutor (Study leave on 26.11.2018 & 27.11.2018)
  - (ii) Dr. Bikramjit, Tutor (Study leave on 26.11.2018 & 27.11.2018)
  - (iii) Dr. L. Kananbala Devi, Tutor (on leave 26.11.2018 & 27.11.2018)
  - (iv) Dr. Kh. Neena Devi, Tutor (on leave 26.11.2018)
8. **Observations:-** There are a few areas that need improvement in the dental Institution which, are listed below:-
  1. **INFRASTRUCTURE:**  
Needs expansions and better utilization of existing place.
  2. **STAFF:**  
Senior Teaching staff, especially Professor & Readers (one against six required and three against 8 required respectively) AND Non-Teaching Staff (Twenty four against 102 required).
  3. **LIBRARY:**  
Presently shared with Medical College Central Library. Dental College does not have a separate library.
  4. **MOBILE DENTAL VAN:**  
Dental College does not possess one.
  5. **EQUIPMENTS:**  
Most of the needed dental equipments are either not available OR being shared with other departments. Centralized Air compressor and proper sterilization equipment is a serious deficiency.
  6. **PRE-CLINICAL LABS:**  
For both Prosthodontics and Conservative Dentistry, the facility is NOT as per DCI Requirements. Only Tables & Chairs are in existence. Phantom Heads, Lights, Gas Burners etc. are conspicuous by their absence.
  7. **DENTAL CHAIRS:**  
Seriously deficient. Only 30 available against needed one hundred chairs. Department like Public Health Dentistry and Oral Pathology do not have a single chair.

7(7) **Shravathi Dental College & Hospital, Shimoga, Karnataka**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Shashikiran N.D., Karad and Dr. Manu Rathee, Rohtak (carried out on 14<sup>th</sup> & 15<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with increased intake capacity from 40 to 100 at Shravathi Dental College & Hospital, Shimoga, Karnataka for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. **Non-Teaching staff / Ministerial staff:** Assistants-4, Receptionist-9, D.S.A (Chair side attendant)-7, Dent. Tech. (Dental Mechanic)-3, Dent. Hygst.-2, Radiographer-1, Data Entry Operators-2, Electricians-1, Helper Electrical-3, Sweepers & Scavengers-4, Attenders-14, Dept. Secretaries-8, Nurses-9, Lab. Technicians-2

2. There are deficiencies of **Major Equipments** in the following departments:-
- Prosthodontics and Crown & Bridge:** Pre-clinical working tables-33
- Conservative Dentistry and Endodontics:**
- Clinical Laboratory:** Lab Airrotor-1
- Paediatric and Preventive Dentistry (Pedo lab):** Model Trimmer (with diamond disc)-1, Model Trimmer (with Carborandum disc)-1, Vibrator-1, Lab micro motor-3, Dental lathe-1, Diagnostic Kits-5
- Oral Medicine and Radiology:** General X-ray units-1
- Public Health Dentistry:** Diagnostic Kits-5, Autoclaves-1, Intraoral x-ray-1, Glass bead sterilizers-1, Portable dental chair-2, Generator-1, Oxygen cylinder-1, TV and Video cassette player, Public address system-1
3. **Staff quarters:-**
- i. Principal/Dean's Bungalow not available in campus.
  - ii. Staff quarters not available in campus.
  - iii. Guest house with minimum 3 double bed rooms are not available.
4. **Infrastructure & Functional requirements:-** Clinical AREB certified Radiographic Room along with Dark Room – AREB certificate not available.
5. The following Dental Teaching Staff were absent / leave on the day of Inspection:-
- (i) Dr. Naveen Y.G., Professor, Prosthodontics (14.11.2018)
  - (ii) Dr. Srinidhi Bhat, Reader, Prosthodontics (14.11.2018)
  - (iii) Dr. Shilpa Shetty, Sr. Lecturer, Prosthodontics (14.11.2018)
  - (iv) Dr. Pratibha M. Rao, Tutor, Prosthodontics (14.11.2018 & 15.11.2018)
  - (v) Dr. Jayanth M. Nambiar, Sr. Lecturer, Conservative Dentistry (14.11.2018)
  - (vi) Dr. Kiran N, Sr. Lecturer, Conservative Dentistry (14.11.2018)
  - (vii) Dr. Srinidhi M.S., Vice-Principal, Prof. & HOD, Periodontics (14.11.2018)
  - (viii) Dr. Gufran Danish Khan, Sr. Lecturer, Periodontics (14.11.2018)
  - (ix) Dr. J. Ragabindu, Sr. Lecturer, Periodontics (14.11.2018 & 15.11.2018 – on Maternity leave)
  - (x) Dr. Pradeep V. Pattar, Professor, Oral & Maxillofacial Surgery (14.11.2018)
  - (xi) Dr. Pruthviraj Hegde, Tutor, Oral & Maxillofacial Surgery (14.11.2018)
  - (xii) Dr. Prabhavathi Benakanal, Oral Medicine (14.11.2018 & 15.11.2018 – on Maternity leave)
  - (xiii) Dr. Bharath S V, Tutor, BDS, Oral Medicine (14.11.2018 & 15.11.2018)
  - (xiv) Dr. Suashibhushan K.K, Professor & HOD, Pedodontics (14.11.2018)
  - (xv) Dr. Nagendra Kumar Shetty, Tutor, Public Health Dentistry (14.11.2018)
  - (xvi) Dr. Ramesh G C, Professor, Orthodontics (14.11.2018 & 15.11.2018)
  - (xvii) Dr. Shanthiprasad Indra, Sr. Lecturer, Orthodontics (14.11.2018)
  - (xviii) Dr. Mohd. Osman Ali, Sr. Lecturer, Orthodontics (14.11.2018)
  - (xix) Dr. Lokesh Kumar L, Tutor, Orthodontics (14.11.2018)

- (xx) Dr. Lathadevi. C, Sr. Lecturer, Oral Pathology (14.11.2018).
- (xxi) Dr. Vishnupriya Kothinti, Tutor, BDS, Pedodontics (14.11.2018 & 15.11.2018)
6. The following Medical Teaching Staff were absent / leave on the day of Inspection:
- (i) Miss. Sandhya, Reader, Anatomy (14.11.2018)
- (ii) Dr. Mohd. Fariddin Ahamed, Lecturer, Anatomy (14.11.2018)
- (iii) Dr. Devaraj M.G., Professor Physiology (14.11.2018)
- (iv) Smt. Sunita Devi, Reader, Biochemistry (14.11.2018)
- (v) Dr. Thippeswamy. N.R., Lecturer, Microbiology (14.11.2018)
- (vi) Dr. Jagadeesh K, Professor & HOD, Pharmacology (14.11.2018)
- (vii) Mr. Ashok, Lecturer, Pharmacology (14.11.2018)
- (viii) Dr. Chetan Kumar H.R., Lecturer, Pharmacology (14.11.2018)
- (ix) Dr. Vishwanath S.R., Lecturer, General Medicine (14.11.2018 & 15.11.2018)
- (x) Dr. Ismail Zabiulla, Lecturer, General Medicine (14.11.2018)
- (xi) Dr. Govardhan Reddy, Lecturer, General Medicine (14.11.2018)
- (xii) Dr. Sai Sushma Yeturu, Lecturer, General Surgery (14.11.2018)
- (xiii) Dr. Praveen Kumar P, Lecturer, General Surgery (14.11.2018)
- (xiv) Dr. Santosh Sadashiv Galagali, Lecturer, General Surgery (14.11.2018)
- (xv) Dr. Srikanth K, Lecturer, General Surgery (14.11.2018)
- (xvi) Dr. Murali Manohar A, Lecturer, Anaesthesia (14.11.2018)
- (xvii) Dr. Manjunath Nishani, Lecturer, Anaesthesia (14.11.2018)
7. **Academic Block for Basic Sciences Subject:-**  
**Department of Biochemistry: PREPARATION ROOM: Balance for weighing chemicals-1**  
**Department of Pharmacology: CLINICAL LAB: Beakers-90**

7(8) **Government Dental College, Alappuzha**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Elizabeth Koshi, Kulasekharam and Dr. Nisheeth Saawarn, Bhopal (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting next batch of students in BDS Course with 50 seats at Government Dental College, Alappuzha for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There is deficiency of one Reader in the Dept. of Community Dentistry.
2. Dr. Jyothi H, Tutor, Oral Pathology and Dr. Kripa T., Tutor, Conservative Dentistry both faculty's signature not in the attendance sheet on the day of Inspection.
3. **Non-Teaching Staff / Ministerial Staff** (Sharing with attached Govt. Medical College): Managers/ Office Suptd./ Section Officer/ Head Clerk/ Estate Officer-4, Assistants/Clerk-8, Receptionist-8, Librarian-1, C.S.A. (Chair side Attendant)/ DORA/ANM / Para Medical staff with 6 months (minimum Class 10<sup>th</sup> Pass) experience in dental college / Clinic / Hospital-10, Dent. Tech. (Dental Mechanic)-6, Dent. Hygst.-3, Radiographer-2, Photographer-1, Artist-1, Computer Programmer-1, Data Entry Operators-1, Physical Director-1, Engineer-1, Electricians-2, Plumber-1, Carpenter-1, Mason-1, A.C. Tech.-1, Helpers Electrical-1, Sweepers & Scavengers-10, Attenders/Peon/Orderly-18, Security Personal-5, Dept. Secretaries-4, Driver -4, Nurses-3, Lab. Technicians-3.
4. **Central Library:**  
Total Number of Journals required 26 but available only 2.

(1 National Journal in each subject of the 9 Dental Specialities) – Oral Pathology-1 and Forensic Odontology-1.

(1 National Journal in each subject of the 8 basic medical science) – Available in attached Medical College Library.

(1 International Journals for each 9 dental speciality) – Not available.

Back Volumes of all National Journal of 9 Dental Specialities for the last 10 years – Not available.

5. There are deficiencies of **Major Equipments** in the following departments:-

**Ceramic and Cast Partial Laboratory:** Milling Machine-1 (Administrative sanction obtained), Micro surveyor-1.

**Conservative Dentistry and Endodontics:** Ultrasonic cleaner-1 available with two liters capacity against the requirement of 13 liters, Automatic Developer-1.

**Oral & Maxillofacial Surgery:** Ultrasonic cleaner-1 available with two liters capacity against the requirement of 13 liters.

**Periodontology:** Autoclave-1, Ultrasonic cleaner-1 available with two liters capacity against the requirement of 13 liters, X-ray Viewer (Extra Oral)-1.

**Orthodontics:** Ultrasonic cleaner-1 available with two liters capacity against the requirement of 13 liters.

**Paediatric and Preventive Dentistry:** Ultrasonic cleaner-1 available with two liters capacity against the requirement of 13 liters.

**Oral Medicine and Radiology:** Automatic periapical X-ray Developer & Dark Room – available but not certified with AERB, General X-ray Unit-1 available in attached medical college.

**Public Health Dentistry:** Ultrasonic cleaner-1 available with two liters capacity against the requirement of 13 liters.

**Mobile Clinic:** Stabilizer-1.

6. **Constructed Area:** Total Carpet Area in the constructed building is 38,000 available against the requirement of 60,000 sq. ft.

7. **Hostel for Boys & Girls:** Sharing with attached Medical College, as per Govt. Order.

8. There are deficiencies in Infrastructure & Functional Requirements (sharing with attached medical college):

**Clinical**

Infrastructure	Requirement	Availability
Prosthodontics Cast Partial and Ceramic	1300 sq. ft.	Space not adequate
Conservative Clinical Lab	300 sq. ft.	Space not adequate
Laboratories for Orthodontics and Pedodontics	200 sq. ft.	Space not adequate
AERB certified Radiographic Room along with Dark Room	600 sq. ft.	Not AERB certified

9. **Observations:**

(i) Overall space in all depts. inadequate Prosthodontics Casting lab has all equipments but due to lack of space limits proper functioning.

(ii) Orthodontics and Pedodontics lab shared with Conservative department.

To consider the Joint Inspection Report of the Council's Inspectors Dr. Ashok Patil, Ahmednagar and Dr. Anantharaj A, Bangalore (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with 50 seats at Dental Institute, Rajendra Institute of Medical Sciences, Ranchi, Jharkhand for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of three Professors in the department of Conservative Dentistry and Endodontics-1, Periodontology-1, Orthodontics-1 and Oral Surgery-1
2. There are deficiencies of Five Readers in the department of Prosthodontics and Crown & Bridge-1, Oral Pathology and Oral Microbiology-1, Conservative Dentistry and Endodontics-2 and Paediatric & Preventive Dentistry-1.
3. There are deficiencies of 5 Lecturers in the dental teaching staff.
4. There are deficiencies of **Major Equipments** in the following departments:

**Prosthodontics and Crown & Bridge:** Semi adjustable articulator-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Extra oral/intra oral tracer-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Curing unit-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Surveying unit-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Diagnostic Kits-15 (under procurement vide NIT No. 8646 dated 12.12.2017), LAB: (under procurement vide NIT No. 8646 dated 12.12.2017), Plaster dispenser-1, Deflasking unit-3, Dewaxing unit-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Lab Micromotor-3 (under procurement vide NIT No. 8646 dated 12.12.2017), Geyser-2, Phantom Heads-21, Pre-Clinical working tables-50.

**Ceramic and Cast Partial Laboratory:** Plaster Dispensor-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Pindex system-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Sandblasting machine-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Model Trimmer with Carborandum disc-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Model trimmer with diamond disc-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Vacuum mixing machine-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Composite curing unit-1 (under procurement vide NIT No. 8646 dated 12.12.2017), PRE-CLINICAL PROSTHETICS LABORATORY: Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-30 (under procurement vide NIT No. 8646 dated 12.12.2017), Adequate number of lab micro motor with attached hand piece-10 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Conservative Dentistry and Endodontics:** Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Amalgamator-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Automatic Developer-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Injectable gutta percha-1 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Pre Clinical Laboratory:** Heavy duty micromotor-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Gas cylinder and Oxygen cylinder with burner-1 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Clinical Laboratory:** Plaster dispenser-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Model trimmer with Carborandum disc-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Model trimmer with diamond disc-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Lab Airrotor-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Pindex system-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Vacuum mixer-1 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Oral Pathology and Oral Microbiology:** Microtome-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Wax bath-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Water bath-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Knife sharpner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Hot plate-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Spencer knife-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Diagnostic kits-10 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Periodontology:** Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Electro surgical cautery-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Needle burner with syringe cutter-4 (under procurement vide NIT No. 8646 dated 12.12.2017), Laser-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Electro cautery kit-1 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Orthodontics:** Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), ORTHO LAB (under procurement vide NIT No. 8646 dated 12.12.2017); Plaster dispenser-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Vibrator-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Model trimmer-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Micromotor-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Lathe-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Blue Torch-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Base formers-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Typodont-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Set of Pliers-1, Typhodont articulator-3 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Paediatric and Preventive Dentistry:** Autoclaves-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Amalgamator-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Rubber dam kit for pedo-3 (under procurement vide NIT No. 8646 dated 12.12.2017), Apex locator-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Endo motor-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Injectable gutta percha with condensation-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Scaling instruments-5 (under procurement vide NIT No. 8646 dated 12.12.2017), Extraction forceps-4, Diagnostic kits-20, Plaster dispenser-2 (under procurement vide NIT No.

8646 dated 12.12.2017), Model trimmer with diamond disc-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Model trimmer with Carborandum disc-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Vibrator-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Lab micro motor-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Dental lathe-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Steam cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Pressure moulding machine-1 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Oral Medicine and Radiology:** Automatic periapical X-ray developer-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Automatic Panoramic with Cephalometric X-ray printer-1 (under procurement vide NIT No. 8646 dated 12.12.2017), General X-ray unit-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Lead Aprons-1, Lead Gloves-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Lead collar-2 (under procurement vide NIT No. 8646 dated 12.12.2017), X-ray Hangers-6 (under procurement vide NIT No. 8646 dated 12.12.2017), Diagnostic kits-13 (under procurement vide NIT No. 8646 dated 12.12.2017), Biopsy kit-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Needle burner with syringe cutter-1, Sailography equipment & kit-1 (under procurement vide NIT No. 8646 dated 12.12.2017).

**Public Health Dentistry:** Ultrasonic cleaner-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Needle burner with syringe cutter-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Diagnostic kits-15, MOBILE CLINIC: Glass bead sterilizers-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Portable dental chair-2 (under procurement vide NIT No. 8646 dated 12.12.2017), Stabilizer-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Oxygen cylinder-1 (under procurement vide NIT No. 8646 dated 12.12.2017), Demonstration models-20 (under procurement vide NIT No. 8646 dated 12.12.2017).

5. **Observations:-**

1. Professor in Oral Surgery is transferred from Medical College from department of Dentistry, not having teaching experience in subject of Oral Surgery (experience is only in Deptt. Dentistry, RIMS).
2. Preclinical Prosthetic is under constructions.
3. Library is centralized attached to medical college.
4. Administrative Staff, Nursing Staff, Paramedical and attendant in each dept are deficient.

7(10) **ESIC Dental College, Gulbarga**

To consider the Joint Inspection Report of the Council's Inspectors Dr. K.T. Chandrashekar, Jabalpur and Dr. Arvind Kumar, Tirunelveli (carried out on 15<sup>th</sup> & 16<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with 50 seats at ESIC Dental College, Gulbarga, Karnataka for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. **Administrative Staff:** Stenographer-1
2. Dr. Shilpa Sinnurkar, Reader, Prosthodontics & Crown Bridge (16.11.2018) was on leave on the day of Inspection.

3. There are deficiencies of four Professors in the department of Prosthodontics and Crown & Bridge-1, Oral Pathology and Oral Microbiology-1, Periodontics-1 and Orthodontics-1.
4. There are deficiencies of Nine Readers in the department of Prosthodontics and Crown & Bridge-1, Conservative Dentistry and Endodontics-2, Oral & Maxillofacial Surgery-1, Periodontology-1, Orthodontics-1, Paediatric & Preventive Dentistry-1, Oral Medicine & Radiology-1 and Public Health Dentistry-1.
5. There are deficiencies of 14 Lecturers in dental teaching staff. (details as performa)
6. There is deficiency of one lecturer in the department of Biochemistry.
7. **Non-Teaching Staff / Ministerial Staff:** Assistants/Clerk-6, Receptionist-8, Librarian-1, C.S.A. (Chair side Attendant)/ DORA/ANM / Para Medical staff with 6 months (minimum Class 10<sup>th</sup> Pass) experience in dental college / Clinic / Hospital-9, Dent. Tech. (Dental Mechanic)-4, Dent. Hygst.-3, Radiographer-2, Photographer-1, Artist-1, Computer Programmer-1, Data Entry Operators-1, Physical Director-1, Attenders/Peon/Orderly-16, Dept. Secretaries-4, Driver -2, Nurses-1, Lab. Technicians-3.
8. **Central Library:**

Total Number of Journals No.-3

(1 National Journal in each subject of the 9 Dental specialties) is not available.

(1 National Journal in each subject of the 8 basic medical science) is not available.

1 International Journals for each 9 dental specialty is not available.

Back Volumes of all National Journal of 9 Dental Specialties for the last 5 years is not available.

Seating Capacity

(it should be minimum 50% of total students strength)

S.No.	Amenities	Available/ Not Available	Sq. Ft.
1	Photocopying area	Not available	
2	Journal Room	Not available	
3	Staff Reading Room	Not available	
4	Digital Library	Not working condition	

9. 30 Dental Chairs are not installed.
10. There are deficiencies of Major Equipments in the following departments:

**Prosthodontics and Crown & Bridge:**  
**Prosthodontics and Crown & Bridge:** Dental Chairs and Units-deficiency of 7 dental chairs against the requirement of 17 dental chairs, college is having 1 dental chairs out of 8 not functional, Semi adjustable articulator-2, Extra oral/intra oral tracer-2, Dewaxing unit-1, Curing unit-1, Dental casting machine-1, Wax burnout furnace-1, Pre heating furnace-1, Surveying unit-1, Heavy duty hand piece-3, Autoclave-1, Needle burner with syringe cutter-1, Diagnostic Kits-25 sets minimum, **LAB:** Plaster Dispenser-2, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Acrylizer-2, Lathe-1, Flask press-4, Deflasking unit-4, Dewaxing unit-2, Hydraulic



Press-2, Mechanical Press-1, Vacuum mixing machine-1, Lab Micromotor-3, Hot water sterilizer-2, Geysers-2, Phantom heads-25, Pre-clinical working tables-50.

**Ceramic and Cast Partial Laboratory:**

Composite curing unit-1, PRE-CLINICAL PROSTHETICS LABORATORY: Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-30, Adequate number of lab micro motor with attached hand piece-10, PLASTER ROOM FOR PRE-CLINICAL WORK: Lathe-1.

**Conservative Dentistry and Endodontics:**

Dental Chairs and Units-17 (10 available but not functioning and not installed), Rubber dam kits-4, Restorative instruments kits-5, Autoclaves-2, Ultrasonic cleaner-1, Needle burner with syringe cutter-3, Intra-oral X-ray Unit-1, Automatic Developer-1, Radiography-1, Endo motor-1, Diagnostic Kits-25 sets minimum, **Pre Clinical Laboratory:** PHANTOM LAB UNIT-30, Wax Burnout Furnace -1, Centrifugal Casting Machine-1, Heavy duty micromotor-1, Gas cylinder and Oxygen cylinder with burner-1, **Clinical Laboratory:** Plaster Dispenser-2, Model Trimmer with Carborandum disc-1, Model Trimmer with diamond disc-1, Lathe-1, Lab Micromotor-2, Ultrasonic cleaner-1, Spindle Grinder-1, Vibrator-1, Burnout furnace-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1.

**Oral Pathology and Oral Microbiology:**

Dental Chairs and Units-1, Slides-60, Slides Boxes-3, Microscopes-5, Microtome-1, Wax bath-1, Knife sharpener-1, Spencer knife-1, Adequate slides projection system-1 (Preferable), Diagnostic Kits-10 sets minimum.

**Oral & Maxillofacial Surgery:**

Autoclaves-1, Needle burner with syringe cutter-4, Extraction forceps sets-5, Dental elevators-3, Minor Oral Surgery Kits-1, X-ray viewers-1, Pulse Oxymeter-1, Thermometer-1, Glucometer-1, Oxygen cylinder-1, Oxygen mask adult-1, Oxygen mask Pado-1, Impaction Kit-1, Trauma kit-1, Diagnostic Kits-25 sets minimum.

**Periodontology:**

Dental Chairs and Units-17 (10 available but not functioning and not installed), Surgical instrument sets-3, Autoclave-2, Ultrasonic Cleaner-1, Electro surgical cautery-1, Needle burner with syringe cutter-4, Laser-1, Physio dispenser with implant kit-1, X-ray Viewer (Extra Oral)-1, Hand scaler Supra gingival -5, Hand scaler Sub gingival -5, Set of curettes-1, Electro cautery Kit-1, Periodontal Surgical Kit-2, Diagnostic Kits-25 sets minimum.

**Orthodontics:**

Dental Chairs and Units-9, Unit mount scaler-3, Autoclave-1, X-ray viewers-2, Ultrasonic Cleaner-1, Diagnostic Kits-25 sets minimum, **ORTHO LAB:** Plaster dispenser-2, Model Trimmer-1, Lathe -1, OPG with cephalostat-1, Welders-2, Blue Torch-1, Base Formers-2, Typodont-2, Set of Pliers-5, Welder with soldering attachments-1, Hydro solder-1, Typodont articulator-3, Pressure moulding machine-1.

**Paediatric and Preventive Dentistry:**

Dental Chairs and Units-10, Autoclaves-1, Ultrasonic cleaner-1, Needle Burner with syringe cutter-2, Amalgamator-1, Pulp Tester-Digital-1, Rubber dam kit for pedo-3, Apex locator-1, Endo motor -1, Injectable gutta percha with condensation-1, Radiography-1, Intra Oral Camera-1,

**Scaling instruments-5, Restorative instruments-5, Extraction forceps -5, Intra-oral X-ray-1, Diagnostic Kits-25 sets minimum, RCT Instruments Kits-3, PEDO LAB: Plaster dispenser-2, Welder with soldering attachments-1, Vibrator-2, Lab micro motor-1, Dental Lathe-1, Steam cleaner-1, Pressure moulding machine-1.**

**Oral Medicine and Radiology:** Dental Chairs and Units-1, Panoramic X-Ray with Cephalometric-1, Pulp testers-1, Automatic periapical X-ray, Developer -1, Automatic Panoramic with Cephalometric X-ray Printer-1, X-ray viewer-2, Radiovisiography with Intra Oral Camera-1, General X-ray Unit-1, Lead Gloves-1, X-ray Hangers-6, Diagnostic Kits-25 sets minimum, Lead Screen-1, Biopsy Kit-1, Sialography equipment & Kit-1.

**Public Health Dentistry:** Dental Chairs and Units-6, Autoclaves-1, Ultrasonic cleaner-1, Needle burner with syringe cutter-2, Diagnostic Kits-25 sets minimum, **MOBILE CLINIC:** Mobile Dental Van with dental chairs & units-2, Autoclaves-1, Intraoral x-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-20.

11. **Infrastructure & Functional Requirements:**

Infrastructure	Requirement	Availability	Remarks of Inspector
Central Stores	400 sq. ft.	Available	Not functioning
Photography and artist room	250 sq. ft.	Available	Not functioning
Medical Stores cum Pharmacy	200 sq. ft.	Available	Not functioning
Cafeteria	800 sq. ft.	Available	Not functioning

12. **Observations:-**

- (i) College building and construction area is as per DCI norms but distribution of dept. is not properly made by college authority.
- (ii) Dental College does not have required dental teaching faculty.
- (iii) Oral Medicine dept. having one deficient dental chairs, no dental chair in radiograph room, no RVG, No OPG and no reader and senior lecturer available in oral medicine.
- (iv) None of the dental clinical department are made functioning and except common clinic which is having 15 dental chairs with BDS Tutors and few MDS faculties are working. Preclinical Prosthodontics lab is not made functioning with lack of gas connections and no phantom clinic is available for current second BDS students with lack of teaching faculty.
- (v) Preclinical conservative lab is not present and absence of Phantom Heads for second BDS Students and lack of teaching faculty.
- (vi) No clinical teaching aids are displayed in practical class rooms.
- (vii) Lack of instruments in all clinical departments.
- (viii) No proper store facility is made in college.

- (ix) 30 dental chairs are not installed in college and lack of air pipe line, electric points and water pipe lines are not available for installation of dental chairs.
- (x) CCTV not installed in dental college.
- (xi) Anti ragging seminar not conducted in this session.
- (xii) Cafeteria not available in dental college.
- (xiii) Drinking water facility not made for patient's as well as students.
- (xiv) College library divisions are not made as per DCI requirements with lack of Books and national and international journals.
- (xv) College does not have Mobile dental unit and no satellite clinics are made by college.
- (xvi) Dental museum is not made in college.
- (xvii) Overall impression is that the dental college is not up to the DCI norms for third BDS.
- (xviii) Self Assessment Report not prepared on the day of Inspection also.

7(11) **Care Dental College, Guntur**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Pradeep P.R., Bangalore and Dr. Shailesh Shenava, Navi Mumbai (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> year BDS Course with 50 seats at Care Dental College, Guntur for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

**Staff:** There is deficiency of Principal, since he is not eligible as submitted total teaching experience of the Dr. T. Kishore Babu who is shown as Principal is having only 12 years 3 months 24 day.

7(12) **Government Dental College, Dibrugarh**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Ritesh Raj, Patna and Dr. Vijay Singh, Yamuna Nagar (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with 50 seats at Government Dental College, Dibrugarh for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of two Readers in the departments of Prosthodontics and Crown & Bridge-1 and Oral Pathology and Oral Microbiology-1.
2. Dr. Kadambari Bharali, Lecturer, Prosthodontics was absent on the day of Inspection (26.11.2018 & 27.11.2018).
3. **Dental Chairs / Units:** On 24 dental chairs are available against the requirement of 50.
4. There are deficiencies of Major Equipments in the following departments:-  
**Shared Common Clinic:** Fully Electrical Dental Chairs Units Adult – (Including 1 for Oral Pathology)-26, Autoclave-3, OPG with cephalogram-1, X-ray - OPG Viewer-1, Oxygen mask pedo-2, Trauma kit-2, Ultrasonic

scaler-5, Electro cauttery kit-2, Periodontal Surgical Kit-2, Orthodontics pliers set-2, Orthodontics wire cutter-1, Thermoplastic gutta percha-1, Reduction gear hand piece-1, Extra oral / Intra oral tracer-2, Crown Cutting Kit-3.

**Oral Pathology Haematology Clinic:** Blood Dilution Pipette-3, Blood Cell Counter-1, Centrifuge-1, Conical Glass Jar-3, Coplin Jar-3, Capillary Tube-1 pack, Ph Meter-1, Autoclave Calorimeter-1, Mini Rotary Shaker-1, Salilis Hb Meter-3.

**Clinical Wet Lab:** Plaster Dispenser-1.

**Pre Clinical Prosthodontics Lab:** Model trimmer with diamond disc-1, Lab micromotor heavy duty handpiece-3, Heavy duty lathe-2.

**Chrome Cobalt / Cast Partial Laboratory:** Model trimmer with Carborandum disc-1, Model trimmer with diamond disc-1.

**Ceramic Lab:** Work table with magnifying lens-1, Ultrasonic bath-1, Heavy duty micromotor with porcelain finishing accessories-1.

5. **Infrastructure & Functional Requirements:** Infrastructure & Functional requirement at present sharing with Assam Medical College.
6. **Dental Anatomy, Embryology, Oral Histology and Oral Pathology:** A. DENTAL ANATOMY, DENTAL HISTOLOGY & ORAL PATHOLOGY LAB: Teaching slides set with box-2 sets (with minimum of 55 slides in each set), Education models & dental developmental set (Nissan like model)-3, Spencer Knife-1, Disposable blade-1 set, Diamond tip pencil-1, Glass dropper bottle-3, Glass bottle with lid-3, Wide mouth bottles-3, Glass funnel-3, Glass Pipette-3, Glass Measuring Jar-3, L Blocks-2, Magnifying Glass-1, Toothed Forceps-2, Plastic dropper-2, Gas burner/Spirit Lamp-1, Processing Bottles-3, Slide Drying Tray-1, Slide carrying tray-1, Staining trough SS-1, Slide Staining Rack SS-1.
7. **Non-Teaching Staff / Ministerial Staff:** (Staff deputed by Principal cum Chief Superintendent Assam Medical College & Hospital) Managers / Office Suptd.-3, Assistants-7, Receptionist-6, D.S.A. (Chair side Attendant)-8, Dent. Tech. (Dental Mechanic)4, Dent. Hygst.-2, Sweepers & Scavengers-7, Attenders-16, Dept. Secretaries-3, Driver-3, Nurses-1, Lab Technicians-2.
8. There is deficiency of Cooks-1 in the Other Staff of Man Power Requirement.
9. **Observations:-**
  1. The department of Public Health Dentistry has One deficient tutor.
  2. The department of Oral Medicine has One Lecturer deficient.
  3. (Private) Girls and Boys Hostel taken by dental college as the purposed hostel under construction plan.
  4. Clinical area common for all the speciality.
  5. Audit Balance Sheet not submitted.
  6. Dental library attached alongwith Central Library Medical College.

7(13) **Dr. Hedgewar Smruti Rugna Seva Mandal's Dental College & Hospital, Hingoli**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Rakesh Krishan Gupta, Jammu and Dr. D. Chalapathi Rao, Khamam (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for

4<sup>th</sup> year BDS Course with increased intake capacity from 50 to 100 seats at Dr. Hedgewar Smruti Rugna Seva Mandal's Dental College & Hospital, Hingoli for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. Man Power Requirement details not found in the observations.
2. There is deficiency of one Reader in the department of General Pathology
3. There are deficiencies in Non-Teaching Staff/Ministerial Staff: Managers/office Suptd. / Section Officer / head Clerk / Estate Officer-4, Assistants / Clerk-5, Receptionist-5, C.S.A. (Chair side Attendant)/ DORA / ANM / Para Medical staff with 6 months (minimum Class 10<sup>th</sup> Pass) experience in dental college / Clinic / Hospital-7, Dent. Tech. (Dental Mechanic)-4, Dent. Hygst.-2, Radiographer-2, Electricians-2, Plumber-1, Helpers Electrical-2, Sweepers & Scavengers-7, Attenders/Peon/Orderly-14, Security Personal-1, Nurses-3, Lab. Technicians-1.
4. There are deficiencies of Biopsy Kit-2 and Sialography equipment & kit-1 in the department of Oral Medicine and Radiology.
5. Staff Reading Room and Chief library Room / Assistant library are not available.
6. **ACADEMIC BLOCK FOR BASIC SCIENCE SUBJECTS:**  
**DEPARTMENT OF ANATOMY:** Dissection Hall (Dissection table – Stainless – Steel tables with drainage for cadavers dissection- Not as per DCI requirements, **CADAVER ROOM:** Small tank-1, Freezer Unit-1.  
**DEPARTMENT OF PHYSIOLOGY:** **CLINICAL LAB:** Spirometer-3, Mosso's Erograph-1, Ophthalmoscope-1, Perimeter-1, Hair Aesthesiometer-2, Bicycle Erograph-1.
7. **Observations:-**
  1. **Equipment and Instruments:-** Biopsy kit in department of Oral Medicine was not available. Only one dental chair was found installed | mobile dental van and portable dental chairs were not available in Public Health Dentistry. Pulse Oxymeters and Wards were not available in department of Oral Surgery.
  2. Few of the medical faculty qualification as per the specific post were not as per desired requirement.
  3. **Library:** Basic medical subject journals are available on E-library of MUHS alongwith dental speciality but hard copies were not there of both as per norms.
8. Staff quarters are under construction.

7(14) **Indira Gandhi Institute of Dental Sciences, Kothamanagalam**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Anshula Deshpande, Vadodara and Dr. Mahima Tilakchand, Dharwad (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting next batch of students in BDS Course with increased intake capacity from 50 to 100 seats at Indira Gandhi Institute of Dental Sciences, Kothamanagalam for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of **Major Equipments** in the following departments:  
**Prosthodontics and Crown & Bridge:** Semi adjustable articulator-2 (tax invoice attached), Extra oral / intra oral tracer-4 (tax invoice attached).  
**Ceramic and Cast Partial Laboratory:** Programmable porcelain furnace with vacuum pump with instrument kit and material kit-1 (Ceramic kit- tax invoice attached).
2. Academic Block for Basic Science Subjects:-  
**Department of Anatomy:** HISTOLOGY ROOM: Binocular Microscopes-1 (tax invoice attached).  
**Department of Physiology:** HEMATOLOGY LAB: Stage Incubator-1, CLINICAL LAB: Spirometer (Ordinary)-3 (tax invoice attached), Mosso's Ergograph-1 (tax invoice attached), Ophthalmoscope-1 (tax invoice attached), Dynamometer-1 (tax invoice attached), Perimeter-1 (tax invoice attached), Hair Aesthesiometer-2 (tax invoice attached), Bicycle Ergometer-1 (tax invoice attached).
3. **Observation:** Address proof of certain medical faculty was not attached.

7(15) **KIMS Dental College, Amalapuram**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Rohit Shetty, Bangalore and Dr. Varsha Rathod, Navi Mumbai (carried out on 26<sup>th</sup> & 27<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with 100 seats at KIMS Dental College, Amalapuram for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of **Major Equipments** in the following departments:  
**Prosthodontics and Crown & Bridge:** Semi adjustable articulator-2, Heavy duty hand piece-3.  
**Ceramic and Cast Partial Laboratory:** Plaster Dispensor-2 available but not in working condition, PRE-CLINICAL PROSTHETICS LABORATORY: Adequate number of lab micro motor with attached hand piece-20 available but lab micromotor and hand pieces not attached, PLASTER ROOM FOR PRE-CLINICAL WORK: Plaster dispenser-2 (not available).  
**Conservative Dentistry and Endodontics:** Rubber dam kits-2, R.C.T. instrument kits-3, Amalgamator-3 available but not in use, Pulp Tester-Digital-1, PHANTOM LAB UNIT-60 available but airrotor micromotor with hand piece not available, CLINICAL LABORATORY: Plaster dispenser-2 available but not working, Lab micromotor-1, Sandblasting machine-1.  
**Oral & Maxillofacial Surgery:** Autoclaves-1, Oxygen cylinder-1.  
**Periodontology:** Surgical instrument sets-3, Ultrasonic cleaner-1, Electro surgical cauter-1 (shared with Oral Surgery).  
**Orthodontics:** Unit mount scaler-2, Plaster dispenser-2, Blue torch-1, Hydro solder-1.  
**Paediatric and Preventive Dentistry:** Apex locator-1, Endo motor-1, Radiovisiography Digital intra X-ray system with pedo sensor and software- RVG available but no X-

ray unit, Automatic Developer-1, PEDO LAB: Plaster dispenser-1, Welder with soldering attachments-1.

**Oral Medicine and Radiology:** Intra Oral X-ray Unit-2, Automatic periapical X-ray developer-1 available with no printer facility, Sailography equipment & kit-1.

2. **Observations:**

- (i) College has no separate Preclinical Laboratories for Conservative and Prosthetic depts.
- (ii) Back volumes of last 5 years for few (some) dental specialities were not made available.

7(17) **Educare Institute of Dental Science, Malappuram**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Ramesh Nadegir, Dharwad and Dr. Nitin Dinesh Gadhiya, Navi Mumbai (carried out on 27<sup>th</sup> & 28<sup>th</sup> November 2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting next batch of students in BDS Course with increased intake capacity from 50 to 100 seats at Educare Institute of Dental Science, Malappuram for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There is deficiency of Major Equipments in the following departments.  
**Prosthodontics and Crown & Bridge:** Extra Oral & Intra Oral Tracer-2,  
**Conservative Dentistry and Endodontics:** Magnification loops-1.  
**Oral Medicine and Radiology:** Diagnostic Kits-50 sets minimum.  
**Public Health Dentistry:** Needle burner with syringe cutter-2

7(19) **CSI College of Dental Sciences and Research, Madurai**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Shantanu Choudhari, Ahmedabad and Dr. Mahima Tilakchand, Dharwad (carried out on 6<sup>th</sup> & 7<sup>th</sup> December, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year BDS Course with increased intake capacity from 50 to 100 seats at CSI College of Dental Sciences and Research, Madurai for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are following Dental Teaching Staff were absent on the day of Inspection:
  - (i) Dr. V.S. Vigneshwar, Reader, Conservative Dentistry (6.12.2018 & 7.12.2018).
  - (ii) Dr. M. Vijay, Professor, Orthodontics (6.12.2018 & 7.12.2018).
  - (iii) Dr. S. Swathi Priyadarshini, Sr. Lecturer, Conservative Dentistry (6.12.2018 & 7.12.2018).
  - (iv) Dr. R. Mahalakshmi, Sr. Lecturer, Orthodontics (6.12.2018 & 7.12.2018).

7(39) **Dr. Rajesh Ramdasji Kambe Dental College & Hospital, Akola**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Suma, Bangalore, and Dr. Sandeep Tandon, Jaipur (carried out on 6<sup>th</sup> & 7<sup>th</sup> December, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 4<sup>th</sup> year

BDS Course with 100 seats at Dr. Rajesh Ramdasji Kambe Dental College & Hospital, Akola for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. Distance of Medical College from dental college is 10.5 km not 9.4. km.
2. Boys hostel had 12 rooms. Part of building is under construction.
3. Staff quarters are not available.
4. E-Library is not available.
5. Deficiency of 2 National and 2 International Journals. 5 years back volumes not available. National Journals in basic sciences not available.
6. Deficiency of Equipments is as under:-
  - a. **Ceramic and Cast Partial Laboratory:**
    - Instrument kit not available.
    - 50 instead of 60 work station are available.
    - Air blower is not available.
    - Lab micromotors are not available.
  - b. **Conservative Dentistry Chemical Laboratory:**
    - 2 heavy duty Handpieces are available instead of 3.
  - c. **Periodontics:**
    - 31 dental chairs available instead of 34.
    - 2 Autoclaves available – 1 wet and dry cycle and 1 wet cycles against the requirement of 3.
  - d. **Orthodontics:**
    - Separate scaler unit available instead of unit mount.
  - e. **Oral Medicine and Radiology:**
    - 1 autoclave with wet & dry cycle, 1 with wet cycles available against the requirement of 2.
  - f. **Public Health Dentistry:**
    - Two fully functional portable units available instead of suitcase units.

7(44) **Government Dental College, Silchar**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Rakesh Kumar Chak, Lucknow and Dr. Shashank P. Kumar, Bangalore (carried out on 28<sup>th</sup> & 29<sup>th</sup> November, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with 50 seats at Government Dental College, Silchar for the academic session 2019-2020 alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of two Professors in the departments of Prosthodontics and Crown & Bridge-1 and Conservative Dentistry and Endodontics-1.
2. There are deficiency of two Readers in the departments of Prosthodontics and Crown & Bridge-1 and Conservative Dentistry and Endodontics.
3. There are deficiencies of two lecturers in the Dental Teaching Staff.
4. **Non – Teaching Staff / Ministerial Staff:** Managers/ Office Suptd.-4, Assistants-8, Receptionist-7, Librarian-1, D.S.A.(Chair side Attendant)-10, Dent. Tech. (Dental Mechanic)-5, Dent. Hygst.-3, Radiographer-2,



- Photographer-1, Artist-1, Programmer-1, Data Entry Operators-1, Physical Director-1, Engineer-1, Electricians-2, Plumber-1, Carpenter-1, Mason-1, A.C. Tech.-1, Helpers Electrical-1, Sweepers & Scavengers-9, Attenders-18, Security Personal-5, Dept. Secretaries-4, Driver -4, Nurses-2, Lab. Technicians-3.
5. **Dental Chairs / Units:** 23 dental chairs are available against the requirement of 50. 12 dental chairs are functional and other chairs are not completely installed.
6. There are deficiencies of **Major Equipments** in the following department:
- A. Common Clinic:** Fully Electrical Dental Chairs Units Adult-(Including 1 for Oral Pathology)-25, Fully Electrical Dental Chairs Units Pedo-2, Autoclave-3, Glass bead sterilizers-1, Needle destroyer-1, Diagnostic kit-30, Biopsy kit-1, Sailography equipment & kit-1, OPG with cephalogram-1, X-ray-OPG viewer-2, Lead collar-1, Lead gloves-1, Emergency medical kit-1, Pulse oxymeter-1, thermometer-1, Glucometer-1, Oxygen cylinder-1, Oxygen mask adult-1, Oxygen mask pedo-2, Impaction kit-5, Lab micromotor with handpiece-3, Trauma kit-2, High volume suction-5, Surgical straight hand piece-5, Hand scaler supra gingival-3, Hand Scaler sub gingival-8, Set of curettes-5, Ultrasonic scaler-5, Electro cautery kit-2, Periodontal Surgical Kit-2, Orthodontics pliers set-2, Orthodontics wire cutter-1, Soldering torch-1, Base former-3, Pneumatic crown remover-2, Rubber dam-4, Air Rotar Handpiece-5, Restorative Instruments kit-5, Composite filling kit-1, Endo motor-1, thermoplastic gutta percha-1, Reduction gear hand piece-2, Magnification loops-1, Pressure moulding machine-1, Conscious sedation kit-1, Micro head airrotor hand piece-2, Semi adjustable articulator-1, Crown cutting kit-3, Rubber bowl-10, Spatula-7, Glass lab-6, Cement spatula-6.
- B. Oral Pathology Haematology Clinic:** Dental Chair-1, Blood Dilution Pipette-3, Blood Cell Counter-1, Centrifuge-1, Conical Glass Jar-3, Coplin Jar-3, Capillary Tube-1 pack, Needle Destroyer-1, Test tubes-5, Test tube stand-2, Timer / Stopwatch-1, Ph meter-1, Blotting paper-1 pack, Autoclave calorimeter-1, Mini Rotary Shaker-1, Tripod Stand-1, Spirit Lamp-3, Salilis Hb meter-3, Gluco meter-1.
- D. Pre Clinical Prosthodontics Lab:** Geysler-1, Vibrator-1, Dewaxing unit-1, Hydraulic Press-2, Model trimmer with Carborandum disc-1, Model trimmer with diamond disc-1, Lab micromotor heavy duty handpiece-5, Heavy duty lathe-1.
- E. Chrome Cobalt / Cast Partial Laboratory:** Circular saw-1.
- F. Ceramic lab:** Work table with magnifying lens-1, Heavy duty micromotor with porcelain finishing accessories-1.
- Conservative Dentistry and Endodontics:** PHANTOM LAB UNIT-60 available (Purchase but not installed).
7. **Infrastructure & Functional Requirements:**

Infrastructure	Requirement	Availability
Administrative Block	1500 sq. ft.	616 sq. ft.
Clinical Area (for common clinic)	1250 sq. ft.	
Library	4000 sq. ft.	672 sq. ft.
Lecturer Halls-4	3200 sq. ft.	276 sq. ft. (4 rooms)
Maintenance room	500 sq. ft.	Remaining Area are required
Photography and artist room	150 sq. ft.	
Medical stores cum Pharmacy	150 sq. ft.	

Faculty Room – Dental	700 sq. ft.	560 sq. ft.
Faculty Room – Medical Basic Science	700 sq. ft.	Remaining Area are required
Amenities Area	1000 sq. ft.	560 sq. ft.
Boys Common Room	300 sq. ft.	Remaining Area are required
Girls Common Room	300 sq. ft.	
Room for Gas Cylinder (ventilated)	150 sq. ft.	
Compressor Room	300 sq. ft.	
Cafeteria	1000 sq. ft.	
Examination Hall	1800 sq. ft.	
Auditorium	2000 sq. ft.	
Clinical Area (for different specialty departments)	5000 sq. ft.	
Pre-clinical Prosthodontics and dental material lab	1500 sq. ft.	
Pre-Clinical Conservative lab	1250 sq. ft.	
*Dental Anatomy, Embryology, Oral Histology and Oral Pathology lab	1250 sq. ft.	
*Anatomy dissection hall with storage for cadavers, osteology, demonstration room etc.	1250 sq. ft.	
*One laboratory for physiology with stores and preparation rooms.	1000 sq. ft.	
*Laboratory for biochemistry and with store and preparation rooms.	750 sq. ft.	
*One laboratory for pharmacology	800 sq. ft.	
*One laboratory for pathology and microbiology with stores and preparation rooms.	1500 sq. ft.	
<b>LABORATORIES</b>		
Prosthodontics Cast Partial and Ceramic	1250 sq. ft.	Area are required
Conservative Clinical Lab	300 sq. ft.	
Histopathology Lab for Oral Pathology	300 sq. ft.	
*Haematology and Clinical Biochemistry	200 sq. ft.	
AREB certified Radiographic room along with Dark Room	600 sq. ft.	

8. **A. Dental Anatomy, Dental Histology & Oral Pathology Lab:** Television-1, Teaching slides set with inbox-2, Education models & dental developmental set (Nissan like model)-3.

**B. HISTOPATHOLOGY ROOM:** Wax Bath-1, Water Bath-1, Knife sharpener-1, Spencer knife-1, Disposable Blade-1 set, Hot Air Oven-1, Organic Tissue Capsule-1, Distilled water plant-1, Diamond tip Pencil-1, Glass dropper bottle-3, Glass bottle with lid-3, Wide mouth bottles-3, Glass funnel-3, Glass Pipette-3, Glass Measuring Jar-3, Petri Dish 4" Glass-3, L Blocks-2, Loop Holder-2, Magnifying glass-1, Toothed forceps-2, Plastic Dropper-2, Petri Dish 50mm Glass-2, Gas burner/Spirit lamp-1, Processing Bottles-3, Slide warming table-1, Slide drying tray-1, Slide carrying tray-1, Staining Basket SS-1, Staining Trough SS-1, Staining Trough Glass-1, Slide Staining Rack SS-1, Slide Box-1, Slides Storage Cabinet-1, Wax Block Storing Cupboard-1, Stop Watch-nil.

**C. Oral Pathology Reporting Station:** Microscope – Trinocular-1, Colour Printer-1, Desktop Computer-1.

9. **Observations:**

- (i) No CCTV Camera and No Biometric machine are available.
- (ii) No Journal is available in the library and in place of two hundred books only 134 books are available.
- (iii) No e-library facility is available for the students.

- (iv) In Infrastructure & Functional requirements, the area is less. In future years the faculty employees and other staff are required also.
- (v) OPG-X-ray & Dental X-ray proper room are required with these unit installation.

7(45) **RKDF Dental College & Research Centre, Bhopal, Madhya Pradesh**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Pooran Chandra, Lucknow and Dr. Sunita Garg, Ahmedabad (carried out on 5<sup>th</sup> & 6<sup>th</sup> December, 2018) to evaluate the standard of first final BDS examination to be conducted by Sarvapalli Radhakrishnan University, Bhopal for recognition of BDS course with 100 seats at RKDF Dental College & Research Centre, Bhopal, Madhya Pradesh alongwith the recommendations of the Under Graduate Committee (10<sup>th</sup> December, 2018).

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies of Major Equipments in the following department:
  - Prosthodontics and Crown & Bridge:** Dental Chairs and Units-34 available but all were not as per the specification.
  - Ceramic and Cast Partial Laboratory:** Circular saw-1 not available.
  - Conservative Dentistry and Endodontics:** Dental Chairs and Units-34 available but not as per specifications.
  - Oral & Maxillofacial Surgery:** Dental Chairs and Units-30 available but not as per specifications.
  - Periodontology:** Dental Chairs and Units-34 available but not as per specified.
  - Orthodontics:** Dental Chairs and Units-18 available but not as per specifications.
  - Paediatric and Preventive Dentistry:** Dental Chairs and Units-20 available but not as per specified.
  - Oral Medicine and Radiology:** Dental Chairs and Units-12 available but not as per specifications.
  - Public Health Dentistry:** Dental Chairs and Units-16 available but not as per specifications, MOBILE CLINIC: Mobile dental van with two dental chairs with all the attachments and adequate sitting space for 15 to 20 peoples-1 available instead of 2.
2. **Observations:-**
  - (i) Affidavits of medical faculty of the college was not provided by the college authorities.
  - (ii) Dental Chairs of all the departments were not electrically operated.
  - (iii) Few recently recruited faculty (noted in affidavits) could not provide bank statements and traces Form – 16.

7(46) **PSM College of Dental Sciences & Research, Thrissur**

To consider the Joint Inspection Report of the Council's Inspectors (received by Email) Dr. Bhagwan Das Rai, Udaipur and Dr. Manu Rathee, Rohtak (carried out on 7<sup>th</sup> & 8<sup>th</sup> December, 2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting next batch of students in BDS Course with increased intake capacity from 50 to 100 seats at PSM College of Dental Sciences & Research, Thrissur for the academic session 2019-2020.

Compliance – be furnished latest by 18.12.2018.

1. There are deficiencies in the Major Equipments:-

**Prosthodontics and Crown & Bridge:-** Dewaxing unit-1, Curing unit-1, Acrylizer-2, Flask press-3, Hydraulic press-1, Hot water sterilizer-2, Geysers-1

**Ceramic and Cast Partial Laboratory:-** Pre-Clinical Prosthetics Laboratory (work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool)-2

**Conservative Dentistry and Endodontics:-** Ultrasonic cleaner-1, Phantom Lab Unit-2

**Clinical Laboratory:** Shared with Prosthodontics

**Oral & Maxillofacial Surgery:-** Autoclaves-1, Pulse Oxymeter-2, Oxygen cylinder-1, Oxygen mask adult-1, Oxygen mask pedo-2, Surgical straight hand piece-1

**Periodontology:-** Surgical instrument sets-4, Autoclave-1

**Paediatric and Preventive Dentistry:-** Ultrasonic cleaner-1, Rubber dam kit for pedo-1, Intra oral camera 1 non functional, Extraction forceps-4

**Pedo Lab:** Shared with Orthodontics

**Oral Medicine and Radiology:-** General X-ray Unit-1, Sailography equipment & kit-1

**Public Health Dentistry:-** Ultrasonic cleaner-2, Needle burner with syringe cutter-1, Mobile Clinic-mobile dental van is not available.

2. Non-Teaching staff attendance chart not found.
3. **Central Library:-** 1 National journal in each subject of the 8 basic medical science- 4 available.
4. **Infrastructure & Functional Requirements:-**

Infrastructure	Requirement	Availability	Remarks of Inspector
Faculty Rooms- Medical Basic Science	1500 sq.ft.	2000sq.ft.	Faculty rooms for medical unit surgery not available
Wards Male and Female to accommodate 20 Beds, Central Store, Departmental Store, Major and Minor O.T.etc.	Remaining Area (7500 sq.ft.)	Available	No earmarked beds for dental patients
Pre-clinical conservative lab	2500 sq.ft.	3067 sq.ft	Shared with Prosthodontics

5. **Academic Block for basic science subjects:-**
6. **Department of Anatomy:-**  
 Cadaver Room:- (Two storage tanks to store the cadavers Sufficient area to store the formalin, freezer etc.)- One storage tank available.  
 Histology Room (No separate histology room available)  
**Equipment requirements:-**  
 Cadaver Room- Small Tank-1, Freezer Unit-1  
 Histology Room- not available  
 Museum:- Full body skeletal bones-1
7. **Department of Physiology:-**  
 Equipments Requirement:- Hematology Lab:- Stage Incubator-1, Winrobes Pipettes-8, Refrigerator-1, Stop Watches-25, Haematocrit Tubes-5.  
 Clinical Lab: Not separate clinical lab available
8. **Department of Biochemistry:-** Shared with Pharmacology  
 Area requirements-Staff Room-nil  
 Preparation Room- no separate preparation room available
9. **Dept. Of Pharmacology:-** Shared with Biochemistry

Area requirement:- staff Room-Nil

Clinical Lab- Glass Ware- Beakers-70, Measuring Cylinder 5/10/25/50/100ml-30, Measuring Cylinder-500ml-2, Mortar and Pestle-50, Pasteur pipette pack of 100-3, Pipette 1 ml-100, Pipette 2 ml- 50, Pipette 5 ml-25, Reagent bottle with lid-Wide Mouth-100 each 500ml-50, Test Tubes (Medium)-50, Petri dish-10, Wash Bottle-75, Dropper Bottle-50

**Instruments:-** Transparent Dispensing Box-50, Dispensing Balance-38, Dispensing Weight box-50, Electronic balance-1, Mechanical pipette-1, Sensitive balance (Shimadzu)-1, Sphygmomano meter-1, Spirit lamp-7, Test tube holders-25, test tube stand-25, water bath-1, Wax paper bundles-5.

10. **Dept. Of Microbiology:-**

Area requirement- Preparation rooms- (not available)

Clinical Lab-Microscope binocular-1, Incubator-1, Double Door Refrigerator-1

Preparation Room- not available

11. **Dept. Of General Pathology:-**

Area requirement – Staff Room (nil)

Equipment requirement:- Shared instruments.

12. **Observations:-**

- The proof of payment for the session 2019-20 as per MoU for the continuity of permission for attached hospital is not made available.
- The list of staff with attached hospital verified by the concerned authority is not furnished
- The non-teaching and paramedical staff identity and appointment orders werenot made available for verification except four dental mechanics and two lab technicians.
- Address proof is allotment letter of staff quarter in the campus, not substantiated by any document in respect of Dr. Sayi D S, Reader, Microbiology, Dr. Aparna M. Lecturer, Oral Medicine
- Registration renewal is not made available in respect of Dr. Deepak Baby, Reader, Conservative Dentistry and Endodontics, Dr. Reshma Rajan, Lecturer, Pedodontics, Dr. Ranjith George, Lecturer, Pedodontics.
- Appointment letter and experience certificate for Mastnath Dental College are not made available for Dr. V R Joshy, Professor, Oral and Maxillofacial Pathology.
- Dr. Jobiri Mathew, Lecturer, Oral and Maxillofacial Pathology is not registered as MDS and only 4 months bank statement is made available.
- Appointment letter as Professor is not made available in respect of Dr. Biju James Professor & Head, Oral Surgery.
- Dr.Vikas Eliyas Kuruvila, Reader, Oral Surgery does not have publication opoints as Reader.
- Promotion letter and publication details are not made available in respect of Dr. Anis Ahmed, Reader, Oral Medicine.
- Dr. Deepak P R, Lecturer, Orthodontics is not registered as MDS.

7(57)S **Al-Azhar Dental College, Kerala**

To consider the Joint Inspection Report of the Council's Inspectors (received by Email) Dr. Anil Melath, Mahe and Dr. Virinder Goyal, Sri Ganganagar (carried out on 11<sup>th</sup> & 12<sup>th</sup> December,

2018) to verify the achievement of the annual target for renewal of the Central Government permission for admitting 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 50 to 100 seats at Al-Azhar Dental College, Kerala for the academic session 2019-2020.

Compliance – be furnished latest by 18.12.2018.

1. There are following Dental Teaching Staff were on leave on the day of Inspection:
  - (i) Dr. Master Luqman M., Professor, Oral Pathology and Oral Histology (11.12.2018 & 12.12.2018)
  - (ii) Dr. Anju K Sathar, Tutor, BDS, Prosthodontics was on leave and was shown on maternity leave.
  - (iii) Dr. Hasna Hamsa, Tutor, BDS, Pedodontics was on leave and was shown on maternity leave.
2. There are following Medical Teaching Staff were absent on the day of Inspection:
  - (i) Dr. K. Praveen, Lecturer, Anatomy (12.12.2018), he was official leave as he has gone to attend meeting at Govt. Medical College, Kottayam.
  - (ii) Dr. Ninny Thomas K, Lecturer, Microbiology (11.12.2018 & 12.12.2018) was shown on medical leave.
  - (iii) Dr. K.C. George, Reader, General Medicine (12.12.2018)
3. **PUBLIC HEALTH DENTISTRY: MOBILE CLINIC:** Mobile Dental Van with dental chairs & units-1.
4. **Observations:-** The college is still to get affiliation for year 2019-20. However, the college authorities have applied to university for continuation of affiliation for year 2019-20.

**Note :** Subject to the confirmation of the said Minutes in the next Executive Committee meeting