

DENTAL COUNCIL OF INDIA

Meeting File of the Executive Committee of the Dental Council of India to be held on 1st December, 2016 (Thursday) in the Committee Room, Dental Council of India, Aiwan-E-Galib Marg, Kotla Road New Delhi at 11.00 A.M. in respect of compliance cases.

7(2) Govt. Dental College, Alappuzha

To consider the Joint Inspection Report of the Council's Inspectors Dr. Alpesh Patel, Gandhinagar and Dr. Sarfaraz Padda, Ferozepur (carried out on 25th November, 2016) to verify the achievement of the annual target for renewal of the Central Government permission for 3rd year BDS Course with 50 seats at Govt. Dental College, Alappuzha for the academic session 2017-2018.

Compliance

1. Many facilities are shared with the in campus medical college like medical departments library, hostels, lecture halls, wards, oral surgery major and minor OT, staff quarters etc.
2. Majority of the dental chairs are non functional and still to be installed.
3. Orthodontia department is being operated from conservative dept. No fixed orthodontics treatment done.
4. Conservative and pedo labs are not existed.
5. Gross deficiency of the space in the present campus.
6. Journal room, Computer/Internet room not available.
7. Room for librarian is non available.
8. There is deficiency of one reader in the department of Public Health Dentistry.
9. There are deficiency of Major Equipments in the following departments:-
 1. **Ceramic and Cast Pattial Laboratory is non functional** – Duplicator-1, Pindex system-1, Circular saw-1, Burn out furnace-1, Electro-polisher-1, Model Trimmer with Carborandum disc-1, Model Trimmer with Diamond disc-1, Induction casting machine-1, Spot welder with soldering, attachment of cable-1, Spindle Grinder 24,000 RPM with vacuum suction-1, Curring pressur pot-1, Milling machine-1, Preheating furnace-1, Palatal trimmer-1, Ultrasonic cleaner-1, **Pre-Clinical Prosthetics Laboratory:-** Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool – 60, Adequate number of lab micro motor with attached hand piece-20
 2. **Conservative Dentistry and Endodontics:-** Dental Chairs and units-17 (9 non connected) Autoclaves-1, Plaster dispensers-2, Ceramic unit-01, Casting machine-1, Automatic Developer-1, PHANTOM LAB UNIT-4, **Chemical Laboratory:-** Plaster Dispenser-2, Model Trimmer-1, Lathe-1, Lab Micromotor-2, Ultrasonic cleaner-1, Spindle Grinder-1,

- Vibrator-1, Porcelain furnace-1, Sandblasting Machine-1, Casting Machine-1\
3. **Oral & Maxillofacial Surgery** – Partially working with Minor and Major OT at Medical Hospital.
 4. **Periodontology:-** Dental Chairs and units-17 available (10 not connected)
 5. **Orthodontics:-** Dental Chairs unit units-9 available (not connected), Unit mout scaler-3, OPG with cephalostat-1, Welder with soldering attachments-1, Hydro solder-1, Typhodont articulator-3, Pressur moulding machine-1
 6. **Paediatric and Preventive Dentistry:-** Dental Chairs and units- 10 available (5 not connected), Autoclaves-1.
Pedo Lab - not existed, Plaster dispenser-2, Model Trimmer with diamond disc -1, Model Trimmer – Double disc one diamond and one carborandum disc-1. Welder with soldering attachments-1, Vibrator-2, Lab micro motor-2, Dental Lathe-1, Steam cleaner-1, Pressur moulding machine-1, Carborandum Disc-1, Diamond disc-1.
 7. **Oral Medicine and Radiology:-** Panoramic X-ray with Cephalometric-1, Intra Oral X-ray Unit-1, Radiovisiography-1, General X-ray Unit-1, Ortho Pantmograph-1
 8. **Public Health Dentistry:-** Dental Chairs and units-4, **Mobile Clinic** – Dental chair with unit-1, Autoclaves-1, Intraoral x-ray-1, Portable dental chair-2, Oxygen cylinder-1
10. There is deficiency of **Infrastructure & Functional Requirements:-**

<u>Infrastructure</u>	<u>Requirement</u>	<u>Availability</u>
Administrative Block	2000 sq.ft.	2100
Library	4500 sq.ft.	DC-1800+MC-12,000
Lecture Halls-1, other are sharing with medical college	3200 sq.ft.	DC-2000 + MC 3 – 6000
Maintenance room	600 sq.ft.	MC-2000 squf
Photography and artist room	250 sq.ft.	MC-400 squf
Medical Stores	250 sq.ft.	MC-4000 squf
Amenities area	2000 sq.ft.	MC-6000 squf
Compressor and room for gas plant	200 sq.ft.	MC-2000 squf
Cafeteria	800 sq.ft.	MC-3000 squf
Examination hall	1800 sq.ft.	DC-1500 MC-3000 squf
Auditorium (to accommodate at least 400 people)		4000 squf
Laboratories (Dental Subjects)		
Pre-clinical conservative lab	1300 sq.ft.	1050 squf
Laboratory for and orthodontics	800 sq.ft.	-

Cont'd...

7(3) **Govt. Dental College, Thrissur**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Munish Kumar, Sunam and Dr. Nikhel Dev Wazir, Jammu (carried out on 25th November, 2016) to verify the achievement of the annual target for renewal of the Central Government permission for 3rd year BDS Course with 50 seats at Govt. Dental College, Thrissur for the academic session 2017-2018.

Compliance

Affidavits and supporting relevants not received

1. Dr. Jolly M. Vargheese, Principal is transferred as DMRE Trivandrum and new Principal Dr. Jyothinder Kumar K. is yet to join his duties.
2. Dr. Meera S. Sr. Resident was on leave on the day of inspection.
3. The new Dental College Building is under construction and yet to be functional.
4. There are deficiency of 2 Readers in the department of Oral Pathology-1, Periodontics-1
5. There are deficiencies of 8 Readers in the department of Prosthodontics-1, Oral Pathology-1, Conservative Dentistry-1, Periodontics-1, Orthodontics-1, Pedodontics-1, Oral Medicine-1, Public Health Dentistry-1.
6. There are deficiencies of 12 lecturers.
7. There are deficiencies of 46 dental chairs.
8. E-Library is non functional.
9. No Separate department of Oral Medicine & Radiology.
10. Biometric is non functional.
11. There are deficiency of Major equipments in the following departments:-
 1. **Prosthodontics and Crown & Bridge:-** Acrylizer-2.
 - Ceramic and Cast Partial Laboratory:-** Spot welder with soldering attachment of cable-1, Model Trimmer-1.
 2. **Conservative Dentistry and Endodontics:-** Apex Locator-1
 3. **Chemical Laboratory:-** Model Trimmer, Carborandum disc-1, Lathe-1, Vibrator-1, Porcelain Furnace-1, Sandblasting Machine-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1.
 4. **Oral Pathology:-** Dental Chairs and units-1, Microscopes-20, Microtome-1, Wax bath-1, Water bath-1, Knife sharpner-1, Hot plate-1, Spencer Knife-1.
 5. **Oral & Maxillofacial Surgery:-** Dental Chairs and units-11, Needle burner with syringe cutter-1, **Minor Surgery:-** Dental Chairs and Units-3
 6. **Periodontology:-** Dental Chairs and units-10, Electro surgical cautery-1, Surgical motor with physio dispenser-1
 7. **Paediatric and Preventive Dentistry:-** Dental Chairs and units-10, Rubber dam kit for pedo-3,

Cont'd...

8. **Oral Medicine and Radiology:-** Dental Chairs and units-6, Ortho Pantmograph-1.
9. **Public Health Dentistry:-** Dental Chairs and units-8, **Mobile Clinic:-** Mobile dental Van-1, Dental Chairs with units-2, Autoclaves-1, Intraoral X-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable dental chair-2, Stabilizer-1, Generator-1, Waer tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1

7(4) **Govt. Dental College and Hospital, Nagpur**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Ravi Kumar C.M., Udaipur and Dr. Jagat Bhushan, Chandigarh (carried out on 22nd November, 2016) to verify the achievement of the annual target for renewal of the Central Government permission for 5th year BDS Course with increased intake capacity from 40 to 50 at Govt. Dental College and Hospital, Nagpur for the academic session 2017-2018.

Compliance

1. The following Dental Faculty was on leave/absent on the day of inspection.
 - (i) Two Assistant Professor Dr. Surendra Daware and Dr. Shweta Gupta in the department of Oral Surgery was on leave.
 - (ii) Dr. Mangesh Bhalchandra Phadnaik, Professor & HOD, Department Periodontics was on leave.
 - (iii) Dr. Rakesh Bahadure, Assistant Professor was absent.

Affidavits of the above faculties have not furnished.

2. There is deficiency of two readers in Conservative Dentistry and **one Reader in the department of Public Health Dentistry**, Asst. Professors have been given Additional charge of Associate Professor by the order of Dental of G.D.C. Nagpur.
3. There is deficiency of 5 lecturers
4. There is deficiency in the Major Equipments in the following departments:-

Conservative Dentistry and Endodontics:- Automatic Developer-1, Bleaching unit-1, Department of Conservative Dentistry shares Ceramic lab with Prosthodontics.

Public Health Dentistry:- Mobile Dental Van one dental chair short, Intraoral X-ray-1

7(5) **Govt. Dental College and Hospital, Hyderabad**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Anish Tiwari, Gandhinagar and Dr. Azhar Malik, Jammu (carried out on 22nd November, 2016) to verify the achievement of the annual target for renewal of the Central Government permission for 5th year BDS Course with increased intake capacity from 40 to 100 at Govt. Dental College and Hospital, Hyderabad for the academic session 2017-2018.

Compliance

Cont'd...

1. There are deficiencies in Man power:-
Health Staff:- Extension Educator Paramedical Staff – 1, Sr. Radiographer – 2.
2. There are deficiencies in Major Equipments:
 - i. **Prosthodontics & Crown & Bridge:-** Needle burner with syringe cutter – 1, Model Trimmer with Carborandum Disc – 1, Acrylizer – 1, Flask Press – 1, Deflasking unit – 1, Hydraulic press – 1, Mechanical press – 1, Lab micro motor – 1, Porcelain furnace – 1, Geyser compound bath – 1, H.P. grinder with suction – 3, Heavy duty lathe – 50, Phantom heads Pre-clinical working tables – 50.
Ceramic and cast partial laboratory:- Pindex system – 1, Circular saw – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with vacuum suction – 1, Micro Surveyor – 1, Pre-clinical prosthetics laboratory work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool – 60.
 - ii. **Conservative Dentistry and Endodontics:-** Ultrasonic cleaner – 1, Needle burner with syringe cutter – 1, Amalgamator – 1, Pulp tester-Digital – 1, Glass bead sterilizers – 2, Vibrator – 1, Ceramic Unit – 1, Casting Unit – 1, Magnification loops – 1, Phantom lab unit – 24.
Chemical Laboratory:- Plaster Dispenser – 2, Lab Micromotor – 3, Spindle Grinder – 1, Vibrator – 2, Burnout furnace – 1, Porcelain furnace – 1, Sandblasting Machine – 1, lab Airrotor – 1, Pindex System – 1, Circular saw – 1, Vacuum Mixer – 1, Pneumatic chisel – 1, Casting machine – 1.
 - iii. **Periodontology:-** Dental Chairs and Units – 12, Autoclave – 1.
 - iv. **Orthodontics:-** Plaster dispenser – 1, OPG with cephalostat – 1, Base Formers – 3.
 - v. **Paediatric and preventive dentistry:-** Dental chairs – 2, Needle burner with syringe cutter – 1, Rubber dam kit for pedo – 2, Endo motor – 1, Injectable gutta percha with condensation – 1, Radiovisiography – 1, Automatic Developer – 1.
Pedo lab:- Nil.
 - vi. **Oral Medicine and Radiology:-** Panoramic X-ray with Cephalometric – 1, Radiovisiography – 1, Ortho Pantmograph – 1, Automatic Developers / Dark Room – 1.
 - vii. **Public Health Dentistry:-** Dental Chairs and Units – 4, Needle burner with syringe cutter – 2.
3. There are deficiencies in Dental Teaching staff:-
 - i. **Prosthodontics and Crown Bridge:-** One Reader.

Observation:-

1. **Conservative Dentistry:-** There is no separate ceramic or casting lab, only 40 phantom heads of that 20 are non functional.
2. **Pedodontic Department:-** No separate pedo lab available, no RVG and 14 dental chairs are hydrotic.

Cont'd...

3. **Oral medicine:-** No digital OPG, No RVG available, out of 19 chairs, 15 are hydraulic, electronic.
4. **Commutive Dentistry:-** 12 dental chairs – 6 hydraulic and electronic.
5. **Periodontic:-** No separate sterilization room, 10 hydraulic chairs.
6. **Prosthodontics:-** No separate phantom head available, no gas pipeline, no bunsan burner.
7. **Oral Surgery:-** No sterilization room defined, no separate record room.
8. **Orthodontics:-** hydraulic chairs – 15 all non functional and 12 electronic chairs.
9. **Hostel:-** No separate accommodation for faculty /Staff , shared with medical faculty.
10. Affidavit for medical faculty was not prepared. No Medical faculty was physically present.

7(7) **Patna Dental College & Hospital, Patna**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Nitin Jaggi, Gwalior and Dr. Anil Gupta, Gurgaon (carried out on 25th November, 2016) for the Central Government permission for admitting fresh batch of students in BDS Course with 40 seats at Patna Dental College & Hospital, Patna for the academic session 2017-2018.

Compliance

1. Dr. N.K. Singh is completing 65 years of age on 01.01.2017 and therefore cannot be considered thereafter as Professor.
2. There are deficiencies in Dental teaching staff.
 - i. One Professor and Reader in Conservative Dentistry.
 - ii. One Professor in Periodontics.
 - iii. One Professor in Orthodontics.
 - iv. One Reader in Pedodontics.
 - v. Seven Tutors.
3. There are deficiencies in Non-teaching staff/Ministerial Staff:- Managers/Office Suptd. – 3, Receptionist – 7, Librarian – 1, DSA (Chair Side Attendent) – 10, Dent. Tech. (Dental Mechanic) – 2, Artist – 1, Programmer – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 1, Plumber – 1, Carpenter – 1, Mason – 1, AC Tech – 1, Helpers Electrical – 1, Sweepers & Scavengers – 8, Attenders – 6, Security Personal – 3, Dept. Secretaries – 4, Driver – 4, Nurses – 1,
4. Central Library

Indian Journals	Not Available
International Journals	Not Available
Back Volumes	Not Available
Journal Room	Not Available
Computer / Internet Room	Not Available
Photocopy area	Not Available
Staff Available in the Library	Not Available

5. Dental Chairs / units:- 101 dental chairs installed with all the attachments.
6. There are following deficiencies in Major Equipments:

Cont'd...

- i. **Prosthodontics and Crown & Bridge:-** Surveying Unit – nil, Model Trimmer with Diamond Disc – nil, Dewaxig Unit – nil, Hydraulic unit – nil, Vacuum Mixing machine – nil, Curing pressure pot – nil, Vibrator – nil, Sand blasting unit – nil, Hot water sterilizer – nil, Geyser – nil, Heavy duty lathe – nil.
Ceramic and cast partial laboratory:- Nil
 - ii. **Conservative Dentistry and Endodontics:-** Amalgamator – 1, Apex Locator – nil, Plaster dispensers – nil, Vibrator – nil, Ceramic unit – nil, casting machine – nil, Automatic developer – nil, Endo motor – nil, Bleaching unit – nil, Magnification loops – nil, Injectable gutta percha – nil.
Ceramic Laboratory:- Lab is share with Prosthodontics & Conservative Department.
 - iii. **Oral Pathology and Oral Microbiology:-** One Dental chair non functional, Microscopes – 8.
 - iv. **Oral & Maxillofacial Surgery:-**
Exodontia :- Dental chairs and units (12 non-functional Hydraulic and 3 non-functional Electrical.
 - v. **Periodontology:-** Laser – nil, Surgical motor with physio dispenser – nil.
 - vi. **Orthodontics:-** Ultrasonic cleaner – nil.
Ortho lab:- Plaster Dispenser – nil, Vibrator – nil, X-ray viewers – nil, OPG with cephalostat – nil, Base former – nil, Welder with soldering attachments – nil, Pressure moulding machine – nil.
 - vii. **Paediatric and Preventive Dentistry:-** Amalgamator – nil, Pulp Tester-Digital – nil, Rubber dam kit for pedo – nil, Apex locator – nil, Endo motor – nil, Injectable gutta percha with condensation – nil, Intra oral Camera – nil, Scaling instruments – nil, Automatic Developer – nil.
Pedo Lab:- Shared with Prosthodontics Department.
 - viii. **Oral Medicine and Radiology:-** Dental chairs and units – 4, Panoramic X-ray with Cephalometric – 1, Intra Oral X-ray unit – 3, Pulp testers – nil, Automatic panoramic with cephalometric X-ray Developers – nil, X-ray viewer – nil, General X-ray unit – nil, Automatic developers/Dark room – nil, Lead gloves – nil, X-ray viewer – nil, Lead Screen – nil, Biopsy kit – nil, Autoclave 0 nil, Computers – 1, intra Oral Camera – nil, Needle burner with syringe cutter – nil.
 - ix. **Public Health Dentistry:-** nil.
7. **Hostel for boys and girls:-** no Boys hostel, hostels for boys and girls are outside the campus, Girls hostel shared with Patna medical College.

Observations

1. The following deficiencies are found during the BDS renewed inspection regarding central govt. permission for next/fresh batch year BDS course (40 seats) for academic session 2017-18.
2. Dental teaching staff:-
Prosthodontics-Dr. J.P. Singh, Reader is on leave, Dr. Rani Kumari, Tutor is on leave, (Leave letter attached)
Oral Surgery:-Dr. Ritesh Raj, Reade is on leave, (Application attached)
Conservative:- One Professor and one Reader is deficient.

Cont'd...

Periodontology:- One Professor is deficient.

Paedodontics:- One Professor and One Reader is deficient.

Orthodontics:- One Professor is deficient.

Total tutor/Lectures are 24 in number and 11 are MDS.

3. There is no separate Principal for the Dental College, Principal of Patna Medical College is holding the additional charge.
4. There are Major deficiencies in the Equipments (major) in the Department of Prosthodontics and Conservative Dentistry.
 - i. There is no ceramic and Cast Partial lab.
 - ii. In Conservative Department there is deficiency of ceramic lab.
5. Many major and minor equipments of both the staff are deficient as specified in profoma.
 - i. Most of the dental chairs (27) are in bad condition and should be replaced.
 - ii. No laser in Periodontology
 - iii. Surgical motor with physiodispenser is deficient.
 - iv. OPG machine along with cephalostat – deficient.
 - v. In department of oral surgery no chair is in condition, very poor sterilization and hygiene maintained.
6. Library of Dental College is Non existing as there is no e-library, no librarian, no computer etc. are there.
7. There is no Hostel for the BDS students.
8. The Overall atmosphere of the college is not healthy as there is no ventilation, poor sanitation. There is no motivation of staff to improve.
9. Non Ministerial Staff:- there is overall deficiency of staff as per the requirement.

7(10) **Indira Gandhi Institute of Dental Sciences, Kothamangalam, Kerala**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Vishal Agarwal, Jaipur and Dr. K.S. Manjunath, Hassan (carried out on 26th November, 2016) to verify the achievement of the annual target for renewal of the Central Government permission for 4th year BDS Course with increased intake capacity from 50 to 100 seats at Indira Gandhi Institute of Dental Sciences, Kothamangalam, Kerala for the academic session 2017-2018.

Compliance

Affidavits and supporting relevants not received

1. There is deficiency of Man Power Requirement i.e. **Medical Staff** - Anaesthesia-1, Orthopaedics-1, **Other Staff** – Driver-1, Class IV including chowkidars-30

7(11) **BRS Dental College & Hospital, Panchkula**

To consider the Joint Inspection Report of the Council's Inspector Dr. L. Krishna Prasad, Guntur and Dr. Himadri Chakrabarty, Kolkata (Carried out on 17th & 18th November, 2016) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course and MDS Courses at BRS Dental College & Hospital, Panchkula, (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Cont'd...

Compliance

1. There is no separate Staff Quarters available in the campus.
2. There are deficiencies in Equipments:-
 1. Grossly inadequate.
 2. Out of 160 Dental Chairs available in UG section only around 100 chairs are functioning and most of the dental chairs do not have necessary attachments like airtoror, micromotor, scalers, etc., as specified by DCI.
 3. There are hardly any electrical dental chairs available in UG section.
 4. There is gross deficiency of equipment in all the departments and the list of equipments available in both UG & PG sections are noted in the inspection proforma.
 5. The Dept. of Orthodontics does not have any plaster lab or clinical lab.
 6. The Dept. of Conservative Dentistry does not have separate ceramic lab.
 7. The pre-clinical phantom head lab does not contain all the necessary attachments and is shared by the Dept. of Prosthodontics and Dept. of Conservative Dentistry.
3. There are deficiencies in Clinical Material:-
 1. **General Hospital:** - The Hospital Authorities could not produce the permission Letter from the Govt. / Statutory Body for running the General Hospital. The General Hospital has obtained BIS Certificate.
 2. The OPD of General Hospital is 32 on 17.11.2016 and 30 on 18.11.2016 which is grossly inadequate.
 3. The In-patients number as per records is at an average of 9 per day that also most of the patients are of Ophthalmology related.
 4. The clinical material available in the Depts. Of General Medicine and General Surgery for training the BDS students is grossly inadequate.
4. **Dental Hospital:-**
 1. As per the OPD record available at reception, the dental college OPD is only 106 per day which includes both new and old patients. The OPD (Both New & Old together) of the dental hospital is 106 on 17.11.2016 and 108 on 18.11.2016. The OPD as per records at various departments is as follows:

Department	17.11.2016	18.11.2016
	UG & PG	UG & PG
Dept. of Oral Medicine	106	106
Dept. of Oral Surgery	31	32
Dept. of Conservative Dentistry	54	59
Dept. of Prosthodontics	34	36
Dept. of Orthodontics	5	5
Dept. of Pedodontics	14	19
Dept. of Periodontics	57	55
Dept. of Oral Pathology	No Biopsy & Cytology	

Cont'd...

Dept. of Public Health Dentistry	No Patient Record
-------------------------------------	-------------------

2. In the Department of Public Health Dentistry, there is no OPD record available. When asked by inspectors, the staff has shown the record of satellite clinic. OPD at campus.

3. In the Department of Oral Pathology, no biopsy or cytology cases registered.

4. In the Department of Orthodontics, not a single patient has been treated with fixed appliances as per the available data.

5. Even though OPD records of various departments is showing few patients, but, on physical verification there are hardly any patients seen in the clinical departments. Only few patients were seen in PG clinics. But there is no patient in UG clinics.

5. Library

1. The hard copies of journals are not available in the library. We were informed that the college is not subscribing for print copy of journals since 2010.

2. However the college is subscribing for Ebesco journals, the proof of subscription for last three years, is enclosed as Annexures in the inspection proforma.

3. Seating capacity of library is 80 including UG & PG. Digital Library has 6 computers for use.

6. Teaching faculty

1. The deficiencies regarding the number of teaching staff available in various dental & medical departments are noted in the inspection Proforma.

2. On physical verification of certificates of teaching faculty, the following deficiencies are noted.

7. Periodontics

1. Dr. Vipin Chandra, Professor, has not done the renewal of his degree registration.

2. Dr. Vanik, Sr. Lecturer, has not done the renewal of his degree registration.

8. Pedodontics

1. Dr. Shireen Opal, Sr. Lecturer, does not have registration certificate of her degree.

2. Dr. Anitha, Reader, has not done renewal of registration.

3. Dr. Kavitha Sharma, Sr. Lecturer, does not have registration certificate.

9. Oral Surgery

1. Dr. Vimakalia, Professor & HOD, has not done the renewal of his degree registration.

2. Dr. Geethakalia, Reader, does not have degree registration certificate.

10. Prosthodontics

1. Dr. HarpreethKaur, Professor & HOD, has not done the renewal of registration of her degree.

2. Dr. Hitesh Pipat, Sr. Lecturer, does not have registration certificate.

11. Orthodontics

1. Dr. Anjali Singh, Professor & HOD, has not done the renewal of registration of her degree.

12. Public Health Dentistry

1. Dr. Ravneeth Kaur, Sr. Lecturer, does not have appointment order, joining report and MDS degree certificate.

13. Academic Activity

1. As per the records available, the academic activity i.e., teaching, pre-clinical. Lab works etc., for UGs and Seminars, journal club, etc., for PGs are going on as per DCI norms.

14. There are deficiencies in Man power requirement:-

Medical Staff:- General Surgery – 1, General Medicine – 1, Obstetrics & Gynaecology – 2, ENT – 2, Paediatrics – 2, Anaesthesia – 2, Orthopaedics – 2, Pharmacologist – 1, Radiologist – 1, GDMO – 1, Community Medicine – 1.

Nursing Staff:- Marton – 1, Sister Incharge – 6, OT Nurses, 4, General Nurses – 14, Labour Room Nurses – 4.

Health Staff:- Female Health Assistant – 1, Extension Educator Paramedical Staff – 1, Lab Technician /Blood Bank Tech – 3, ECG Technician – 1, Pharmacist – 3, CSSD – 2, Medical Records – 1.

Engineering Staff:- Civil – 2, Mechanical – 2, Electrical – 1, Engineering Aid – 3.

Other Staff:- Class IV including chowkidars – 30.

Administrative Staff:- Office Superintendent – 1, UDC – 1, LDC – 2.

15. There are deficiencies in Non-teaching Staff/ Ministerial Staff:- Dent. Tech. (Chair side Attendant) – 4, Dent. Tech. – 3, Radiographer – 1, Photographer – 1, Nurses – 2, Lab Technicians – 2.

16. Central Library:- No print Journal available, seating capacity is 80 seats.

17. There are deficiencies in Major equipments:-

i. **Prosthodontics and crown & Bridge:-** Dental casting machine – 1, Pre heating furnace – 1, Surveying unit – 1, Heavy duty hand piece – 2, Autoclave – 1, Plaster dispenser – non functional, model trimmer with carborandum disc – 1, model trimmer with Diamond disc – 1, Acrylizer – 1, Deflasking unit – 4, Dewaxing unit – 1, Lab micro motor – 2, curing pressure pot – 1, Porcelain furnace – 1, Sand blasting unit – 1, Model trimmer – 2, Sterilizer – 1.

Ceramic and cast partial laboratory:- Plaster Dispenser – 1, Pindex System – 1, Burn out furnace – 1, Model trimmer with Carborandum disc – 1, model trimmer with Diamond disc – 1, Induciton cstin machine – 1, Spot welder with soldering, attachment of cable – 1, Vacuum mixing machine – 1 Milling machine – 1, Heavy duty lathe with suction – 1, Ultrasonic cleaner – 1, Composite curing unit – 1, plaster dispenser – 2, Vibrator – 2, Lathe – 2, Model trimmer – 1, Carborandum disc – 1, diamond disc – 1.

ii. **Conservative Dentistry and Endodontics:-** Needle burner with syringe cutter – 2, Amalgator – 1, Rubber dam kits – 4, Pulp tester digital – 1, Vibrator – 1, Ceramic unit – 1, Casting machine – 1, Automatic Developer – 1, Bleaching unit – 1, Phantom lab unit – without head attachment.

Chemical laboratory:- nil.

- iii. **Periodontology:-** Dental chairs and units – 3, Electro surgical cautery – 1, Needle burner with syringe cutter – 3.
 - iv. **Orthodontics:-** Unit mount scaler – 3, Autoclave – 1, Ultrasonic Cleaner – 1.
Ortho lab:- nil.
 - v. **Paediatric and preventive Dentistry:-** Automatic Developer – 1.
Pedo Lab:- nil.
 - vi. **Oral Medicine and Radiology:-** Intra Oral X-ray unit – 1, Pulp tester – 2, Automatic periapical X-ray Developer – 1, Automatic panoramic with Cephalometric X-ray Developer – 1, X-ray viewer – 1, Radiovisiography – 1, Ortho pantmograph – 1, Lead Gloves – 1, Lead Screen – 1, Biopsy kit – 1, Computers – 1, Intra Oral Camera – 1, Needle Burner with Syringe cutter – 1.
 - vii. **Public Health Dentistry:-** Needle burner with syringe cutter – 1, Mobile clinic – in workshop.
18. Staff Quarters not available.
 19. Examination not available.
 20. Laboratory for orthodontics and dental material lab is not available.
 21. There are following Dental teaching staff are absent on 17.11.2016 and 18.11.2016:-
Prosthodontics:- Dr. Neha Seth (Sr lecturer), Dr. Shammi (Lecturer only 17.11.2016).
Pedodontics:- Dr. Kavitha sharma, Sr. lecturer.
Periodontics:- Dr. Simratjot Kaur (Sr. Lecturer), Dr. Prena Krishan (Sr. Lecturer).
Oral Surgery:- Dr. Ruchit Uppal (Professor).
OMR:- Dr. Sonia Behal (Reader), Dr. Ira Walia (Reader).
 22. There are following medical staff were absent on 17.11.2016 and 18.11.2016:
Medicine:- Dr. Dharminder.
Surgery:- Dr. Astha Garg.
Pharmacology:- Dr. Vishal Bansal (Professor), Dr. Ankita Khullar (Lecturer).
 23. There are deficiency in dental teaching staff:- One Professor in Oral Pathology and one Reader in Public Health Dentistry and seven lecturer.
 24. There are deficiency in medical teaching staff:- One Reader in Anaesthesia and eight lecturer.

Visitor report

1. The Inspection was started by taking a General round of the College and the Various Departments. The Patient register in the Reception area showed the number of patients as 50 at 9:42 a.m. however no patient was present in the reception area.
2. The OMR department had no patient present physically though they also showed the same number of patients as the Reception register. The sterilization system in the Department was not on.
3. The Department of Pedodontics had a Supplementary MDS exam in progress and the only patient present were the exam patients of the previous day for the follow up.
4. This was followed by a visit to the Conservative department, where again there was no patient physically present.
5. The Department of Periodontics was also in the same state.

Cont'd...

6. The Department of Orthodontics had no Faculty at 10 a.m and the registers had no date put on the top for the past 3 days. There was only one attendant sitting in the Department.
7. The Prosthodontics department also has a Supplementary PG exam going on and there were 2 patients of the exam going on.
8. All the departments were deficient in Equipment and whatever was present around half of the equipment was non functional.
9. Department of Conservative Dentistry and Orthodontics had no Laboratory of their own.
10. The Library had not been getting the Hard copy of any journal since 2010, e-library was functional.
11. The Preclinical lab of Prosthetic and Conservative Dentistry was common however the Phantom Heads were missing and there was no Air Connection or Micromotor connection.
12. Some of the Faculty who were not present in the morning reported late to the college.
13. The general hospital had very few patients.
14. The Hostels had no Dinning room.
15. Biometric machine was not functional.

AS PER MDS INSPECTIONS REPORT

Pedodontics

1. Clinical Material:- There is deficiency of clinical material since there were 34 & 38 patients on the day of inspection i.e. 17th & 18th November, against the requirements of 40.
2. Journals:- There is no hard copies of speciality & Related International Journals against the requirement of 6-8 and deficiencies of three Back Golumes International Journals for 10 years.
3. Equipments:- There are deficiency of equipments i.e. Dental Chairs-2, PulAmalgamator-1, Endodontic pressure syringe-2, hydrosolder-1, Cemo mechanical caries removal system (carisolv) -3, Autoclave-1, Glass bead sterilizer-3, Needle destroyer-1, U.V. chamber-2 **Minor OT Equipments/ Instruments** - Conscious Sedation unit-1, TENS (electronic anaesthesia)-1 **Pedo PG Lab** – Phantom table with phantom heads with attached light, airtor and micromotor-3, Vibrator-2, Actylizer-1, Puij tester – 1, Apex locator – 1, SS Crown bit – 3, Poly Carbonate – 3, Typhodont – 3, Ultrasonic cleaner – 1, Magnifying loupes – 1, Plaster dispenser – 1, Lab Macromotor-1.

Periodontology

1. Clinical Material:- There is deficiencies of clinical material since there were 57 & 55 patients on the day of inspection against the requirement of 60 patients.
2. Library:- There is deficiency of no. of books and titles in Central Library (Pertaining to speciality)
3. Journals:- There is deficiency on International & National Journals in speciality & Related agains the requirement of 6 to 8 and 2 to 4 respectively and deficiency of 3 International Journals bak volumes for 10 years.
4. Equipments:- There is deficiency of equipments viz. Dental Chairs-1, Newman's probe-1, Surgery Trollerys-5, Electro surgery unit-1, Krane Kaplan-1, Mallet-1 Composite Gun and Splinting material-1, Emergency kit-1, X-ray viewer-3, LCD projector-1, Refrigerator – 1, Kavo Clave-1.

Cont'd...

Oral & Maxillofacial Surgery

1. Clinical Material:- There were 31 & 32 Patients on the day of inspection i.e.17th & 18th November, against the requirements of 60.
2. Journals:- There is no hard copies of speciality & Related International Journals against the requirement of 6-8 and deficiencies of three Back Golumes International Journals for 10 years.
3. Library:- There is deficiency of no. of books and titles in Central Library (Pertaining to speciality)
4. Equipments:- There are deficiency in the equipments i.e. Dental Chairs-2 Bone grafting Kit-1, Autoclave-1, General Surgery kit-1, Minor oral surgery kit-2, Dermatomes-1 Formalin chamber-1, fiber of the light -1.
5. Clinical Material:- There were 31 & 32 Patients on the day of inspection i.e.17th & 18th November, against the requirements of 60.

Conservative Dentistry

1. There are deficiency in the equipments i.e. Autoclaves for hand piece sterilization-1, Equipments for injectable thermoplasticized gutta percha -1, MIDAJET pressurized local anaesthesia-1, Kavo torque control hand pieces-2, **Laboratory Equipment:-** Equipments for casting procedures including induction casting machines/burnout prehead furnaces/wax elimination furnaces-1, Lab micro motor / metal grinders/ sand blasters/ polishing lathes/duplicator equipment/ vacuum investment equipments-1 and equipments for ceramics-1
2. Journals:- There is deficiency of International Journals in speciality & related and deficiency of three international national journals back volumes for 10 years.
3. Clinical Material:- There is deficiency of clinical material since there were 54 patient on the day of inspection against the requirement of 60.

Prosthodontics and Crown & Bridge

1. Clinical Material:- There is deficiency of clinical material since there are 34 & 36 Patients on the day of inspection i.e.17th & 18th November, against the requirements of 40.
2. Journals:- There is deficiency of 8 International and one national Journals in speciality and related. There id deficiency of 3 International Counrals back volume for 10 years.
3. Equipments:- There are deficiencies in the equipments i.e. Dental Chairs-2, Micromotor-1, Ultrasonic scaler-1, Lathe-1, Micro motor, Sterilization hot air oven-1, Surveyor-2, Plaster Dispenser – 1, Lathe – 1, Acrylizer – 1, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Dewaxing Unit-1, Hydraulic Press-1, Pressure molding machine-1, Burn-out Furnace-2, Sandblaster (micro & macro)-1, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Model Trimmer with Double disc one Carborandum and one Diamond Disc-1, Casting Machine Motor Cast with the safety door closure Gas blow torch with Regulator-1, Steam Cleaner-1, Spindle Grinder 24,000 ROM with Vacuum Suction-1, Wax Heater-1, Wax Carver-1, Milling

Cont'd...

Machine-1, Stereo Microscope-1, Heavy duty lathe with suction-1, Preheating furnace-1, Dry model Trimmer-1, Die cutting machine-1, Composite curing unit-1, Ceramic Furnace-1, Ceramic Kit-4, Implant Kit-1, Implants-2, Prosthetic Components-2, Unit Mount light Cure-2, X-ray Viewer-1, Ultrasonic cleaner-1, Implant Micro Surgeyor-1, Electrical Dental Chairs and units-1, Stengthen Unit-1, X-ray Machine-1, Short cycle autoclave (KAVO)-1, Regrigerator-1, Surgical Kit-1, Sinus lift instruments-1, Educating Models-1

7(12) **MNDAV Dental College & Hospital, Solan**

To consider the Joint Inspection Report of the Council's Inspector Dr. Hemant Sharma, Moradabad and Dr. Deepak Sharma, Jaipur (Carried out on 22nd & 23rd November, 2016) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course with 60 seats at MNDAV Dental College & Hospital, Solan (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. The following dental faculty was absent on the day i.e. 22nd & 23 November, 2016.
 - i. Dr. Dipti Bhatnagar Professor/HOD Oral Medicine
 - ii. Dr. Prabhjyot Kaur Senior Lecturer Periodontics
 - iii. Dr. Anuradha Negi Lecturer (BDS)
2. The following dental faculty was absent on the day i.e. 22nd & 23 November, 2016.
 - i. Dr. Harvender Singh Lecturer General Medicine
 - ii. Mukesh Kumar Dhama, Lecturer, Pharmacology
 - iii. Ashutosh Verma, Lecturer General Medicine
 - iv. Dr. Maya Ahuja, Lecturer, General Surgery

7(13) **Dr. Syamala Reddy Dental College Hospital & Research Centre, Bangalore**

To consider the Joint Inspection Report of the Council's Inspector Dr. Sunail Sharma, Jaipur and Dr. Manu Rathee, Rohtak (Carried out on 18th & 19th November, 2016) to inspect and report on (i) Standard and actual Physical facilities made available for teaching BDS Course and MDS Courses at Dr. Syamala Reddy Dental College Hospital & Research Centre, Bangalore, (ii) the compliance of norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. There are deficiency in Administrative Staff:- LDC – 1, UDC – 3.
2. There are deficiencies in Dental teaching staff:-
 - i. **Prosthodontics**:- One Reader.
 - ii. **Conservative Dentistry**:- One Reader.
3. There are deficiencies in Non-teaching Staff/Ministerial staff: - Managers/ Office Suptd. – 4, Assistants – 4, Receptionist – 8, DSA (Chair side attendant) – 10, Dent. Tech. (Dental Mechanic) – 5, Dent. Hygst. – 3,

Cont'd...

Radiographer – 2, Photographer – 1, Artist – 1, Programmer – 1, Data Entry Operators – 1, Physical Director – 1, Engineer – 1, Electricians – 2, Plumber – 1, Carpenter – 1, Mason – 1, A.C. Tech. – 1, Helpers Electrical – 1, Sweepers & Scavengers – 10, Attenders – 18, Security Personal – 5, Dept. Secretaries – 4, Driver – 4, Nurses – 3, Lab. Technicians – 3.

4. Central Library:- No current subscription of journals. Total area not provided. No e-journals, No photocopy area.
5. There are deficiency in Dental Chairs /units:- Most of the chairs /units are not functioning and electrically operated.
6. There are deficiencies in Major Equipments:-
 - i. **Prosthodontics and crown bridge**:- Extra Oral/intra oral tracer – nil, Dewaxing unit – nil, Needle burner with syringe cutter – nil, Model trimmer with Diamond Disc – nil, Deflasking unit – nil, Curing pressure pot – nil, Hot water sterilizer – nil, Heavy duty leather – nil, phantom heads – nil, Pre-clinical working tables – nil.
Ceramic and cast partial laboratory:- Model Trimmer with Carborandum disc – 1, Spot welder with soldering, attachment of cable – 1, Wax heater – 1, Wax carver – 1, Curing pressure pot – 1, Palatal trimmer – 1, Ultrasonic cleaner – 1, Composite curing unit – 1, Micro surveyor – 1, Pre-clinical prosthetics laboratory – nil, Diamond disc – 1.
 - ii. **Conservative Dentistry and Endodontics**:- Dental Chairs and units – 27, Autoclaves – nil, Needle burner with syringe cutter – nil, Plaster Dispensers – nil, Vibrator – nil, Ceramic Unit – nil, Casting machine – nil, Automatic developer – nil, Radiovisiography – nil, Bleaching unit – nil, Injectable gutta – nil.
Chemical laboratory:- not available.
 - iii. **Oral Pathology and Oral Microbiology**:- Wax bath – nil, Water bath – nil, Knife sharpner – nil, Hot plate – nil, Spencer knife – nil.
 - iv. **Oral & Maxillofacial surgery**:- Ultrasonic Cleaner – nil, Needle burner with syringe cutter – nil, Oxygen cylinder with mask – nil, computer – nil.
 - v. **Periodontology**:- Dental chairs and units – 5, Surgical instrument sets – nil, Electro surgical cautery – nil, Needle burner with syringe cutter – nil, Surgical motor with physio dispenser – nil.
 - vi. **Orthodontics**:- Ultrasonic Cleaner – nil, plaster dispenser – nil, Vibrator – nil, Model trimmer – nil, Micromotor – nil, lather – nil, X-ray viewers – nil, OPG with cephalostat – nil, Welders – nil, Blue torch – nil, Base Formers – nil, Typodont – nil.
Pedo Lab:- Model Trimmer with diamond disc – nil, Steam cleaner – nil, Pressure moulding machine - nil.
 - vii. **Paediatric and preventive dentistry**:- Endo motor – nil, Injectable gutta percha with

- condensation – nil, Radiocisigraphy – nil, IntraOral Camera – nil, Computer – nil.
- viii. **Oral medicine and Radiology:-** Automatic periapical X-ray Developer – nil, General X-ray unit- nil, Needle burner with syringe cutter – nil.
- ix. **Public health Dentistry:-** Dental chairs and units – 2 non functional, Ultrasonic cleaner – nil, **Mobile Clinic** – could not verify as van was locked it seems not in use since long.
7. Equipments are not functioning and detailed list of equipments as furnished by the college is not attached.
8. **Constructed Area:-** details not provided by authorities.
9. **Staff Quarters:-** not available.
10. **Hostel for Boys and Girls:-** Hostels for boys and girls are outside the campus. Mess facilities are compromised. No occupancy in boys hostel. One room occupied by murder.
11. **Infrastructure and functional requirements:-** Maintenance room – nil, photography and artist room – nil, medical stores – nil, amenities area – nil, Compressor and room for gas plant – nil, Cafeteria – nil, Examination hall – nil, Auditorium (to accommodate at least 500 people) – 120 seating capacity, laboratory for orthodontics and pedodontics – nil, Conservative Dentistry – nil, Haematology and clinical biochemistry – non functional.
12. **A copy each of the audited balance sheet (by chartered accountants) of the Trust/Society is to be furnished:-** not provided by college authorities.
13. There are following para medical teaching staff were absent on the day of inspection (18-19.11.2016):-
- i. Mr. Mohammed Raffiq – Chair Technician
 - ii. Mr. Gopal – Attender
 - iii. Ms. Bhavana – Office Assistant
 - iv. Mr. Prasad – Office Assistant
 - v. Mr. Mohammed Riyazuddin – Dental Technician
14. There are following Dental teaching staff were absent on the day of inspection (18-19.11.2016):-
- i. Dr. Arishya Thapasum – Reader (Oral Medicine)
 - ii. Dr. Jai G. Sekhar Reddy – Associate Prof (Oral Surgery)
 - iii. Dr. Sharon – Reader (Prosthodontics)
 - iv. Dr. Mahidhar – Reader (Prosthodontics)
 - v. Dr. Savitha – Senior Lecturer (Prosthodontics)
 - vi. Dr. Nirjhar Bhowmik – Sr. Lecturer (Periodontics)
 - vii. Dr. Saumya Khanna – Sr. Lecturer (Periodontics)
 - viii. Dr. Sarvya – Sr. Lecturer (Periodontics)
 - ix. Dr. Hina Sheth – Professor (Conservative Dentistry)
 - x. Dr. Shobha Sridhar – Professor (Community Dentistry)
 - xi. Dr. Sabeena Shaikh – Tutor (Community Dentistry)
 - xii. Dr. Priyanka Mandava – Sr. Lecturer (Community Dentistry)
 - xiii. Dr. Anjali Agarwal – Tutor (Community Dentistry)
 - xiv. Dr. Bharath Kumar J – Professor (Orthodontics)
 - xv. Dr. Arun Kumar – Reader (Orthodontics)
 - xvi. Dr. Raghuraj – Senior Lecturer (Orthodontics)

- xvii. Dr. Manju – Reader (Pedodontics)
 - xviii. Dr. Nandan – Reader (Pedodontics)
 - xix. Dr. Priya Manghani – Sr. Lecturer (Pedodontics)
 - xx. Dr. Krishna Kumari P – Sr. Lecturer (Pedodontics)
 - xxi. Dr. Sruthi – Senior Lecturer (Pedodontics)
 - xxii. Dr. Faraz Mohammed – Reader (Oral Pathology)
 - xxiii. Dr. Pavitra – Reader (Oral Pathology)
 - xxiv. Dr. Komali – Senior Lecturer (Oral Pathology)
 - xxv. Dr. Lavanya – Senior Lecturer (Oral Pathology)
 - xxvi. Dr. Shruthi – Senior Lecturer (Oral Pathology)
 - xxvii. Dr. Deepa – Senior Lecturer (Oral Pathology)
15. There are following medical teaching staff were absent on the day of inspection(18-19.11.2016):-
- i. Dr. Suresh – Professor (Anatomy)
 - ii. Dr. Sridhar – Professor (Medicine)
 - iii. Dr. Adarsh Patil – Professor (Surgery)
 - iv. Ms. Santohishini – Lecturer (Biochemistry) M.Sc. non medical
 - v. Mrs. Rathna B – Lecturer (Pharmacology)
 - vi. Dr. Mini Joseph - Prof (Physiology & Biochemistry)

BDS Course

Observations:

1. University affiliation is not available for the session 2016-17.
2. Attached general hospital is 11.5km from the Dental College.
3. There are no beds earmarked in any of the wards in the attached hospital as per DCI norms.
4. There is deficiency of **Dental Teaching faculty** as follows subject wise
 - Oral Pathology: 1 Reader
 - Conservative Dentistry: 1 reader and 2 Lecturers
 - Oral and Maxillofacial Surgery: 1 Reader
 - Periodontia: 1 Reader and 1 Lecturer
 - Pedodontia: 1 reader
 - OMDR: 1 Reader
5. Administrative and non-teaching staff is not in accordance with the DCI norms and the college appears to have extreme deficiency in the form of support staff like peons, helpers etc. (details enclosed in the proforma).
6. In Para Dental Staff there is shortage of Dental Mechanics and Dental Hygienists that is there is only one (1) Dental Mechanic, there is no Dental Hygienist and staff nurse in the college.
7. Labs of Physiology, General Pathology, Biochemistry, Microbiology labs are not functional.
8. Deficiency of medical teaching staff, list enclosed. In Medical Faculty the college just has one reader in Department of Medicine and two (2) Lecturers of which one (1) in Medicine and one(1) in Physiology, thus there is shortage of six(6) readers and 11 Lectures in medical faculty.

Cont'd...

9. Shortage of lecturer and Reader in dental teaching staff is not available.
10. TDS deduction and Form 16 was not procured for any of the staff members.
11. Majority of the staff reported late for the duty, in the afternoon, including The Principal i.e. after 11 a.m. and even after 12 noon (probably after they were informed).
12. No graduate tutor have been appointed.
13. **Clinical Material:-** Acute shortage of clinical material. 90 patients on 18 Nov 2016 and 34 patients on 19 Nov 2016 as per record, and even that also appeared to be exaggerated figures as per the eye estimation. There are no entries for patient record for long periods (weeks) together in the OPD registers.
14. Student Log books for work done were not available in the college for any of the subjects.
15. The dissection Hall of Anatomy does not appear to be in use since long as was evident by the amount of dirt on the dissection tables and other places.
16. Lab for Orthodontia and Pedodontia was not available as per DCI norms.
17. Prosthodontic phantom head lab is not available as per Council norms.
18. BDS Time-table and teaching schedule was not made available.
19. There are 3 Lecture theatres in the college against the requirement of 4 as per the norms and even these are also not adequately qipped with Audio-Visual norms.
20. Inspection of Dental store record revealed that no material has been dispensed long for e.g. there was no Amalgam or Mercury dispensed to the Department of Conservative Dentistry since 18th July 2016.
21. College has an Auditorium, but the seating capacity of the Auditorium is only 120 as against the requirement of more than 400 people.
22. Boys and Girls hostels are not within the premises of the dental college but away from college.
23. Staff accommodation is not available in the college campus as per DCI norms.
24. Principal's residence is also not available in the college campus as per DCI norms.
25. There is no examination hall in the college.
26. Canteen, maintenance room is also missing in the college.
27. Majority of the dental chairs are manual and are non-functional.
28. There is also substantial deficiency in the necessary equipments as per the DCI norms (details enclosed in the proformas).
29. Biometric attendance system of the college is not functional. Even the attendance registers of the departments are not maintained adequately.
30. Mobile dental van could not be verified as it was locked. The van appeared to be not in use since long.
31. Audited Balance Sheet was not made available.
32. Entries in the central OPD register for 19th Nov 2016 were observed on 18th Nov 2016 at 05:15pm.
33. **Library:-**There is no purchase of recent editions in the library.

34. No subscriptions of new journals and e-journals.
35. No photocopier in the college Library.
36. Details of maps and constructed area were not provided by the college authorities.
37. Sterilization of instruments and maintenance of equipments appeared compromised.

Observations

1. Clinical material is grossly inadequate in all the departments of the college despite it being located centrally with appreciable feeding population. Only 90 patients on 18th Nov and 34 pts on 19th Nov reported in the OPD of the college as per the college records and the same also did not match the eye estimation. Also there are no entries for long periods of weeks together in the OPD register.
2. There is deficiency of nine (9) Readers for MDS Course (attendance chart attached).
3. MDS teaching program is not following as per DCI guidelines as there was no record of special cases available for any of the specialty as also the other record maintenance of the PG programme.
4. MDS Time-Table was not made available to check the schedule of MDS teaching.
5. Post Graduate students were present as per attendance chart. All the Post Graduate student from the department of Public Health Dentistry were reported to be away for the specialty conference. Two Post Graduate students (Dr. Ajay Singh Sunil and Dr. Kalpana Pandey) have not reported after admission over one year.
6. College Library is deficient in journals. There are no current journals (since 2014) and no e-library facility available. There is also no purchase of recent editions of books as well.
7. There is also deficiency of dental chairs in PG sections as per the proformas. Majority of the dental chairs are manual and are in bad shape and non-functional.
8. There is substantial deficiency of specialized equipments in various departments as per the performa enclosed along with efficiency of equipments as per the list in the proformas.
9. Form 16 was not procured for any of the staff members.
10. Audited Balance Sheet was not made available.
11. MDS Course record maintenance is not in accordance with the accepted norms.
12. There is no seminar room in Oral Medicine department.
13. There is no implant section in Prosthodontics.
14. Autoclaving, Sterilization and general cleanliness also appears inadequate.
15. University affiliation for PG program for year 2016-17 and 2017-18 was not available with the college authorities.
16. There was no non teaching and helping staff available in most of the departments of the college.
17. Equipment of the Community Dentistry department could not be verified as the keys of the equipment were

with the PGs of the department who had gone for conference.

MDS COURSES – AS PER INSPECTION REPORT

1. Speciality- Prosthodontics and Crown & Bridge

(2+1+2)

- i. There is deficiency of Non Teaching and technical staff.
- ii. There is no back volumes against the requirement of 3 for 10 years.
- iii. There is deficiency of equipments viz – Ultrasonic Scaler-4, Light Cure- 1, Pneumatic crown remover-2, Needle destroyer, Plaster Dispenser-1, High speed lathe- 2, Micro motor lab type- 2, Curing pressure pot- 1, Pressure Molding Machine-1, Duplicator-1, Burn-out furnace-1, Welder-1, Sandblaster (micro & macro)-1, Electro polisher, Model Trimmer with Double disc one Carborandum and one Diamond Disc- 1, Spot welder with Soldering, attachment of Cable-1, Wax Heater-2, Magnifying Work Lamp- 1, Dry Model Trimmer-1, Die Cutting Machine-1, Composite Curing unit-1, Ceramic Kit(Instruments) and there is no Implant equipment and Section in Prosthodontics Department.

2. Speciality- Conservative Dentistry & Endodontics

(1+1+4)

- i. There is deficiency of International & National Journals against the requirement of 6-8 and 2-4 respectively. There is no back volumes against the requirement of 3 for 10 years.
- ii. Post graduate academic details for pre clinical & clinical work has not been provided by the college.
- iii. There is deficiency of equipments viz – Endosonic Handpieces- 2, Mechanized Rotary instruments including hand pieces and hand instruments-1, Autoclaves for hand piece sterilization-2, pressurized local anaesthesia-2, Surgical endo kits-2, Sterilizer trays-4, Variable Intensity Polymerization equipments VLC units- 2, Computer with Internet Connection with attached Printer & Scanner-1, Ceramic finishing Kits-2, Equipments for ceramics-1.
- iv. There is deficiency of One reader.

3. Speciality – Orthodontics & Dentofacial Orthopedics

(2+1+1)

- i. There is deficiency of Back volume Journals against the requirement of 3 for 10 years.
- ii. There is deficiency of equipments viz- Lab Micromotor- 2, Vacuum Mixer-1, Dry Heat Sterilizer-1, Anatomical Articulator with face bow attachments-1, Hinge Articulators-2, Electro Polisher-1.

4. Speciality – Oral Medicine & Radiology

(1+2+3)

- i. List of Teaching and technical staff has not been provided by the College authorities.
- ii. There is deficiency of International & National Journals against the requirement of 6-8 and 2-4 respectively. There is no back volumes against the requirement of 3 for 10 years.

Cont'd...

- iii. There is deficiency of equipments viz- Automatic Radiographic Film Processors-2, Lacrimal Probes-1.

**5. Speciality- Oral Pathology & Microbiology
(1+1+1)**

- i. There is deficiency of One reader.
- ii. There is no back volumes against the requirement of 3 for 10 years.
- iii. There is deficiency of equipments viz- Dental chairs-7, Leuckhart pieces-4, Diamond glass marker-1.

**6. Speciality – Oral & Maxillofacial Surgery
(1+1+2)**

- i. There is deficiency of One reader.
- ii. List of Non Teaching and technical staff has not been provided by the College authorities.
- iii. There is deficiency of National Journals against the requirement of 2-4 and there is no back volumes against the requirement of 3 for 10 years.
- iv. There is deficiency of equipments viz-Distracton osteogenesis kit (desirable)-1, Operating microscope and Microsurgery kit (desirable)-1, Fiber Optic Light-1, Fiber Optic laryngoscope-0.

**7. Speciality- Pediatric and Preventive Dentistry
(1+1+4)**

- i. There is deficiency of One reader.
- ii. There is deficiency of 2 International Journals & 1 National Journals against the requirement of 6-8 and 2-4, there is no back volumes against the requirement of 3 for 10 years.
- iii. There is deficiency of equipments viz-Dental Chairs-3, Endomotor-1, Injectable GP condensation-1, Apex locator-1, Poly carbonate/strip crown kit-2, Endodontic pressure syringe-2, Hydro solder-1, Chemo mechanical caries removal system-2, Computer with Internet Scanner and Printer-1, RVG-1, Conscious sedation unit-1, Electronic anaesthesia-1, Pulse oxymeter-1, Emergency drugs tray-1, Magnifying lousps-3, Phantom table with phantom heads with attached light, airtor and micromotor-3, Lab micromotor-1.

**8. Speciality- Public Health Dentistry
(1+1+1)**

- i. There is deficiency of One reader.
- ii. There is deficiency of Non-Teaching and technical staff
- iii. There is deficiency of International & National Journals against the requirement of 6-8 and 2-4 respectively. There is no back volumes against the requirement of 3 for 10 years.
- iv. Equipments in the department could not be verified as reported to be under lock and key not available.
- v. Overall department assessment is deficient.

**9. Speciality- Periodontology
(1+0+3)**

- i. There is deficiency of two Readers.

- ii. There is deficiency of Non-Teaching and technical staff.
- iii. There is deficiency of back volumes against the requirement of 3 for 10 years.
- iv. There is deficiency of equipments viz-Dental Chairs-6, Table top Auto Clave-1, Electro surgery unit-1, Refrigerator, Computer with Internet Connection with attached Printer & Scanner.

Note : Subject to the confirmation of the said Minutes in the next Executive Committee meeting.